

Product Datasheet

LRH-1/NR5A2 Antibody NBP2-42513

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-42513

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-42513



NBP2-42513**LRH-1/NR5A2 Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Description	Novus Biologicals Goat LRH-1/NR5A2 Antibody (NBP2-42513) is a polyclonal antibody validated for use in WB and ELISA. Anti-LRH-1/NR5A2 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	2494
Gene Symbol	NR5A2
Species	Human, Porcine
Specificity/Sensitivity	This antibody is expected to recognize both reported isoforms (NP_995582.1; NP_003813.1).
Immunogen	Peptide with sequence C-TDYDRSPFVTSPIS corresponding to internal region according to NP_003813.1.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.3-1 ug/ml, Peptide ELISA Detection limit 1:128000
Application Notes	WB: Approx. 55 kDa band observed in nuclear lysates of HeLa and HepG2 (calculated MW of 56.5 kDa band according to NP_003813.1). Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse Liver and NIH-3T3 cell line for this particular batch.



Images

Western Blot: LRH-1/NR5A2 Antibody [NBP2-42513] - Staining of Pig Ovary lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



Western Blot: LRH-1/NR5A2 Antibody [NBP2-42513] - Analysis of HepG2 nuclear lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



Publications

Yumoto F, Nguyen P, Sablin EP et al. Structural basis of coactivation of liver receptor homolog-1 by beta-catenin. Proc Natl Acad Sci U S A 2012-01-03 [PMID: 22187462]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-42513

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
H00002494-P01-10ug	Recombinant Human LRH-1/NR5A2 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-42513

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



