

Product Datasheet

5-MethylCytosine Antibody - BSA Free NBP2-42813

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-42813

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-42813



NBP2-42813**5-MethylCytosine Antibody - BSA Free**

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol


Product Description	
Description	Novus Biologicals Rabbit 5-MethylCytosine Antibody - BSA Free (NBP2-42813) is a polyclonal antibody validated for use in WB and IP. Anti-5-MethylCytosine Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Species	Non-species specific
Immunogen	The immunogen used to generate this antibody corresponds to 5-MethylCytosine / 5-mC

Product Application Details	
Applications	Dot Blot, Electron Microscopy, Immunoprecipitation, Methylated DNA Immunoprecipitation
Recommended Dilutions	Immunoprecipitation, Dot Blot 1:100 - 1:2000, Electron Microscopy 1:10 - 1:500, Methylated DNA Immunoprecipitation




Images

Dot Blot: 5-MethylCytosine Antibody [NBP2-42813] - Analysis of anti-5-mC antibody with the synthetic DNA controls . DNA samples (0.5 to 50 ng) were spotted onto positively charged nylon membrane and blotted with 5-mC antibody at a dilution of 1:4000. A: Unmethylated DNA B: DNA containing 5-methylcytosine C: DNA containing 5-hydroxymethylcytosine D: DNA containing 5-formylcytosine E: DNA containing 5-carboxylcytosine.



Immunoprecipitation: 5-MethylCytosine Antibody [NBP2-42813] - Human genomic DNA (150 ng) mixed with methylated cytosine standard kit were subjected to MeDIP with 5-Methylcytosine/ 5-mC antibody (NBP2-42813) at dilution of 1:2000 and analyzed with semi-quantitative PCR. The immunoprecipitated DNA was plotted as % of input DNA.



Publications

Patel, M, Patel, D Et al. CGGBP1-regulated cytosine methylation at CTCF-binding motifs resists stochasticity. BMC Genet 2020-07-29 [PMID: 32727353] (WB)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-42813

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-62131	5-MethylCytosine ELISA Kit (Colorimetric)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-42813

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

