Product Datasheet

S-Tag Epitope Tag Antibody (247) - Azide and BSA Free NBP2-43726

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-43726

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-43726



NBP2-43726


S-Tag Epitope Tag Antibody (247) - Azide and BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	247
Preservative	No Preservative
Isotype	lgG2b
Purity	Protein G purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Mouse S-Tag Epitope Tag Antibody (247) - Azide and BSA Free (NBP2-43726) is a monoclonal antibody validated for use in WB and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Species	Epitope Tag
Immunogen	The immunogen used to generate this antibody corresponds to S-Tag Epitope Tag
Product Application Details	
Applications	Western Blot, Immunoprecipitation

Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:10000, Immunoprecipitation 1:500-1:1000




Images

Western Blot: S-Tag Epitope Tag Antibody (247) [NBP2-43726] - Analysis of A. 30 ug 293T whole cell lysate/eztract B. 30 ug whole cell lysate/extract of S-tagged protein expressing 293T cells 12 % SDS-PAGE S Tag antibody dilution: 1:5000.



Western Blot: S-Tag Epitope Tag Antibody (247) [NBP2-43726] - Analysis of 400 ug cell lysate/extract of S-fused gene transfected 293T cells A. 30 ug lysate/extract of transfected 293T cell B. Control with 2 ug of preimmune mouse IgG C. Immunoprecipitation of S-fused protein by 2 ug of S tag antibody 12% SDS-PAGE The immunoprecipitated S-fused protein was detected by S tag antibody diluted at 1:1000. EasyBlot antimouse IgG was used as a secondary reagent.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-43726

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-27231 Mouse IgG2b Isotype Control (MPC-11)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43726

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

