Product Datasheet

Glut4 Antibody (2E11NB) - BSA Free NBP2-44299

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-44299

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-44299



NBP2-44299

Glut4 Antibody (2E11NB) - BSA Free


Glut4 Antibody (2E11NB) - BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	2E11NB
Preservative	0.02% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A or G purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Mouse Glut4 Antibody (2E11NB) - BSA Free (NBP2-44299) is a monoclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	6517
Gene Symbol	SLC2A4
Species	Human
Immunogen	Partial recombinant human Glut4 protein (amino acids 225-288) [Uniprot: P14672]
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500. Immunohistochemistry 1:200. Immunohistochemistry-

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500, Immunohistochemistry 1:200, Immunohistochemistry- Paraffin 1:200







Western Blot: Glut4 Antibody (2E11NB) [NBP2-44299] - Analysis of partial recombinant GLUT4 protein using GLUT4 antibody [clone 2E11NB].



Immunohistochemistry-Paraffin: Glut4 Antibody (2E11NB) [NBP2-44299] - Analysis of a FFPE tissue section of normal human skeletal muscle using 1:200 dilution of Glut4 antibody (clone 2E11NB). The antibody generated a diffused staining in the blood vessels as well as the cytoplasm/sarcoplasma of skeletal muscles while the nuclei did not show any positivity for Glut4.



Western Blot: Glut4 Antibody (2E11NB) [NBP2-44299] - Analysis of human heart tissue lysate using 1:500 dilution of GLUT4 antibody [clone 2E11NB]. The antibody generated a single specific band of Glut4 at ~55 kDa molecular weight position.



Procedures

Western Blot protocol for Glut4 Antibody (NBP2-44299)

Glut4 Antibody (2E11NB):

- 1. Perform SDS-PAGE on samples to be analyzed, loading 25 ug of total protein per lane.
- 2. Transfer proteins to membrane according to the instructions provided by the manufacturer of the membrane and transfer apparatus.
- 3. Stain according to standard Ponceau S procedure (or similar product) to assess transfer success, and mark molecular weight standards where appropriate.
- 4. Rinse the blot.
- 5. Block the membrane using standard blocking buffer for at least 1 hour.
- 6. Wash the membrane in wash buffer three times for 10 minutes each.
- 7. Dilute anti-VEGFR2 primary antibody in blocking buffer and incubate 1 hour at room temperature.
- 8. Wash the membrane in wash buffer three times for 10 minutes each.
- 9. Apply the diluted HRP conjugated secondary antibody in blocking buffer (as per manufacturers instructions) and incubate 1 hour at room temperature.
- 10. Wash the blot in wash buffer three times for 10 minutes each (this step can be repeated as required to reduce background).
- 11. Apply the detection reagent of choice in accordance with the manufacturers instructions.

Note: Tween-20 can be added to the blocking or antibody dilution buffer at a final concentration of 0.05-0.2%.

Immunohistochemistry-Paraffin protocol for Glut4 Antibody (NBP2-44299)

Glut4 Antibody (2E11NB):

Immunohistochemistry-Paraffin Embedded Sections

Antigen Unmasking:

Bring slides to a boil in 10 mM sodium citrate buffer (pH 6.0) then maintain at a sub-boiling temperature for 10 minutes. Cool slides on bench-top for 30 minutes.

Staining:

- 1. Wash sections in deionized water three times for 5 minutes each.
- 2. Wash sections in wash buffer for 5 minutes.
- 3. Block each section with 100-400 ul blocking solution for 1 hour at room temperature.
- 4. Remove blocking solution and add 100-400 ul diluted primary antibody. Incubate overnight at 4 C.
- 5. Remove antibody solution and wash sections in wash buffer three times for 5 minutes each.
- 6. Add 100-400 ul biotinylated diluted secondary antibody. Incubate 30 minutes at room temperature.
- 7. Remove secondary antibody solution and wash sections three times with wash buffer for 5 minutes each.
- 8. Add 100-400 ul Streptavidin-HRP reagent to each section and incubate for 30 minutes at room temperature.
- 9. Wash sections three times in wash buffer for 5 minutes each.
- 10. Add 100-400 ul DAB substrate to each section and monitor staining closely.
- 11. As soon as the sections develop, immerse slides in deionized water.
- 12. Counterstain sections in hematoxylin.
- 13. Wash sections in deionized water two times for 5 minutes each.
- 14. Dehydrate sections.
- 15. Mount coverslips.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-44299

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP2-44299B Glut4 Antibody (2E11NB) [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-44299

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

