Product Datasheet

Histone H1 Antibody (HH1/957) NBP2-45184-0.1mg

Unit Size: 0.1 mg

Store at 4C.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-45184

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-45184



NBP2-45184-0.1mg

Histone H1 Antibody (HH1/957)	
Product Information	
Unit Size	0.1 mg
Concentration	0.2 mg/ml
Storage	Store at 4C.
Clonality	Monoclonal
Clone	HH1/957
Preservative	0.05% Sodium Azide
Isotype	IgG2a Kappa
Purity	Protein A or G purified
Buffer	1mM PBS with 0.05% BSA
Target Molecular Weight	30 kDa
Product Description	
Description	200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 1 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-47754) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80 C.
Host	Mouse
Gene ID	3024
Gene Symbol	H1-1
Species	Human, Mouse, Rat
Marker	Pan Nuclear Marker
Immunogen	Recombinant full-length human H1F0 Histone H1.0 protein
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1-2 ug/ml, Flow Cytometry 1-2 ug/million cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml
Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.




Optimal dilution for a specific application should be determined.

Images


Western Blot: Histone H1 Antibody (HH1/957) [NBP2-45184] - Western Blot Analysis of human heart tissue lysate using Histone H1 Antibody (HH1/957).




Immunocytochemistry/Immunofluorescence: Histone H1 Antibody (HH1/957) [NBP2-45184] - Confocal Immunofluorescence image of HeLa cells using Green (CF488) and Phalloidin is used to label the membranes.




Immunohistochemistry-Paraffin: Histone H1 Antibody (HH1/957) [NBP2-45184] - Formalin-fixed, paraffin-embedded human Pancreas stained with Histone H1 Antibody (HH1/957).




Flow Cytometry: Histone H1 Antibody (HH1/957) [NBP2-45184] - Flow Cytometric Analysis of HeLa cells. Histone H1 Mouse Monoclonal Antibody (HH1/957) followed by goat anti-mouse IgG-CF488 (Blue); Isotype Control (Red).




Immunocytochemistry/Immunofluorescence: Histone H1 Antibody (HH1/957) [NBP2-45184] - Human cell culture cells were fixed with paraformaldehyde, permeabilised and incubated 1 hour at RT with primary antibody. This image was submitted via customer review.




Immunohistochemistry-Paraffin: Histone H1 Antibody (HH1/957) [NBP2-45184] - Human Ovarian Carcinoma stained with Histone H1 Monoclonal Antibody (HH1/957)



Immunohistochemistry-Paraffin: Histone H1 Antibody (HH1/957) [NBP2-45184] - Human Tonsil stained with Histone H1 Monoclonal Antibody (HH1/957)



Immunohistochemistry-Paraffin: Histone H1 Antibody (HH1/957) [NBP2-45184] - Rat Pancreas stained with Histone H1 Monoclonal Antibody (HH1/957)



Page 4 of 5 v.20.1 Updated 10/23/2024 Immunohistochemistry-Paraffin: Histone H1 Antibody (HH1/957) [NBP2-45184] - Human Tonsil stained with Histone H1 Monoclonal Antibody (HH1/957) Immunohistochemistry-Paraffin: Histone H1 Antibody (HH1/957) [NBP2-45184] - Formalin-fixed, paraffin-embedded human Testicular Carcinoma stained with Histone H1 Antibody (HH1/957). Immunohistochemistry-Paraffin: Histone H1 Antibody (HH1/957) [NBP2-45184] - Formalin-fixed, paraffin-embedded human Angiosarcoma stained with Histone H1 Antibody (HH1/957).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-45184-0.1mg

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96981-0.5mg Mouse IgG2a Kappa Isotype Control (M2AK)
NBP3-17658PEP Histone H1 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-45184

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

