Product Datasheet

u-Plasminogen Activator/Urokinase Antibody (OTI5H4) NBP2-46436

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-46436

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-46436



NBP2-46436

u-Plasminogen Activator/Urokinase Antibody (OTI5H4)

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI5H4
Preservative	0.02% Sodium Azide
Isotype	IgG2a
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	46.3 kDa
Product Description	
Host	Mouse
Gene ID	5328
Gene Symbol	PLAU
Species	Human
Immunogen	Human recombinant protein fragment corresponding to amino acids 107-379 of human PLAU (NP_002649) produced in E.coli.
Product Application Details	
Applications	Western Blot, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2000, Immunohistochemistry 1:150
Images	
Western Blot: u-Plasminogen Activator/Urokinase Antibody (5H4) [NBP2 -46436] - Analysis of HEK293T cells were transfected with the pCMV6- ENTRY control (Left lane) or pCMV6-ENTRY u-Plasminogen Activator.	



55 — 40 — 35 — 25 —

15 -


10 -

Immunohistochemistry: u-Plasminogen Activator/Urokinase Antibody (5H4) [NBP2-46436] - Analysis of Carcinoma of Human pancreas tissue. (Heat-induced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120C for 3min)

Immunohistochemistry: u-Plasminogen Activator/Urokinase Antibody (5H4) [NBP2-46436] - Analysis of Adenocarcinoma of Human colon tissue. (Heat-induced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120C for 3min)

Immunohistochemistry: u-Plasminogen Activator/Urokinase Antibody (5H4) [NBP2-46436] - Analysis of Carcinoma of Human lung tissue. (Heat-induced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120C for 3min)

Immunohistochemistry: u-Plasminogen Activator/Urokinase Antibody (5H4) [NBP2-46436] - Analysis of Human pancreas tissue. (Heatinduced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120C for 3min)







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-46436

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96778	Mouse IgG2a Isotype Control (M2A)
NBP1-80632PEP	u-Plasminogen Activator/Urokinase Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-46436

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

