Product Datasheet

DECR1 Antibody (OTI4G4) NBP2-46449

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-46449

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-46449



NBP2-46449

DECR1 Antibody (OTI4G4)


, ,	
Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI4G4
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	32.1 kDa
Product Description	
Description	Novus Biologicals Mouse DECR1 Antibody (OTI4G4) (NBP2-46449) is a monoclonal antibody validated for use in IHC and WB. All Novus Biologicals

Novus Biologicals Mouse DECR1 Antibody (OTI4G4) (NBP2-46449) is a monoclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Mouse
1666
DECR1
Human
Full length human recombinant protein of human DECR1 (NP_001350) produced in HEK293T cell.


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2000, Immunohistochemistry 1:150, Immunohistochemistry-Paraffin 1:150

Images


Western Blot: DECR1 Antibody (OTI4G4) [NBP2-46449] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DECR1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with antiDECR1.(1:2000)



Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Adenocarcinoma of Human breast tissue using anti-DECR1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min,1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Human tonsil within the normal limits using anti-DECR1 mouse monoclonal antibody.(Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, (1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Human lymphoma tissue using anti-DECR1 mouse monoclonal antibody.(Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, 1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-DECR1 mouse monoclonal antibody.(Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, (1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Human prostate tissue within the normal limits using anti-DECR1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, 1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Human endometrium tissue within the normal limits using anti-DECR1 mouse monoclonal antibody. (Heatinduced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, 1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-DECR1 mouse monoclonal antibody.(Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, 1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Carcinoma of Human pancreas tissue using anti-DECR1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, (1:150)




Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using antiDECR1 mouse monoclonal antibody.(Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, (1:150)



Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Carcinoma of Human liver tissue using anti-DECR1 mouse monoclonal antibody.(Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min, (1:150)



Immunohistochemistry-Paraffin: DECR1 Antibody (OTI4G4) [NBP2-46449] - Staining of paraffin-embedded Human Kidney tissue within the normal limits using antiDECR1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120 degrees C for 3 min,1:150)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-46449

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP1-51054-0.05mg Recombinant Human DECR1 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-46449

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

