Product Datasheet

Breast Matched Tumor and Normal Tissue Lysate NBP2-47119

Unit Size: 2 Vials

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47119

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47119



NBP2-47119

Breast Matched Tumor and Normal Tissue Lysate

Product Information	
Unit Size	2 Vials
Concentration	mg/ml
Storage	Store at -80C. Avoid freeze-thaw cycles.
Product Description	
Description	1 x Human breast tumor tissue lysate (1 mg/ml, 100 ug/vial) 1 x Human breast normal tissue lysate (matched) (1 mg/ml, 100 ug/vial)
	Matched Tumor & Normal Tissue Lysate Set
	Diagnosis: Infiltrating ductal carcinoma
	Sex: Female
	Age: 38
	Grade: 1
	Stage:
	IIIA, T3N1M0
	Tumor Pathology Data
	Location: Left breast
	Gross findings: Tumor size 5 cm., ill demarcated. Cut section firm and white. Ipsilateral axillary lymph nodes examined:
	Microscopic Findings
	The tumor is composed of proliferation of malignant epithelial cells. The epithelial cells are arranged as groups which invaded the stroma. The tumor cells have irregular, basophilic nuclei and abundant cytoplasm. Nuclear chromatin is coarse with prominent nuclei. Mitotic figures are evident. The stroma is infiltrated by small numbers of chronic inflammatory cells. Necroses are seen, but blood vessel invasions are not revealed. The lymph nodes show metastasis (4/13).
	Preparation Method
	Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. Extraction 1: PBS, pH 7.4; 1 ug/ml Aprotinin; 1 mM NaF Modified RIPA Buffer: 1 mM EDTA; 1 ug/ml Pepstatin-A; 0.1% SDS; 0.25% Na deoxycholate; 1 ug/ml Leupeptin; 1 mM PMSF; 1 mM Na3VO4
Species	Human



Notes	The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides. This material has tested negative for HbsAg, HIV 1/2, and HCV. Use UNIVERSAL PRECAUTIONS when handling. Human tissue derivatives must be treated as a potentially infectious agent and disposed of appropriately
Lysate Type	Matched Tumor and Normal Tissue
Lysate Tissue	Breast
Lysate Life Stage	Adult
Product Application Details	
Application Notes	These lysates have not been subjected to denaturing or reducing conditions. This allows the tissue or cell lysate to be used in a variety of applications; to study protein-protein interaction, ligand binding, ELISA, immunoprecipitation, 1D and 2D gel electrophoresis, and Western blotting for the detection of specific protein targets. For use in 1D and 2D gel electrophoresis, the addition of a denaturing gel loading buffer with reducing agents may be required. Buffer requirements for performing protein-protein interaction and ligand binding studies can vary significantly from RIPA buffer and may require modifications. In most cases, tissue lysates in RIPA buffer can be used, directly in standard ELISA and immunoprecipitation assays. These lysates are proteomic discovery tools. Researchers should validate and optimize for individual use.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-47119

NBP2-30212

Human Breast Tissue MicroArray (Cancer)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47119

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

