Product Datasheet

NF2/Merlin Antibody 22710002-0.1mg

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/22710002

Updated 4/20/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/22710002



22710002-0.1mg

NF2/Merlin Antibody

NF2/Menin Anubody	
Product Information	
0.1 mg	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
No Preservative	
IgG	
Immunogen affinity purified	
20mM Potassium Phosphate (pH 7.0) and 0.15M NaCl	
Product Description	
Rabbit	
4771	
NF2	
Human	
Human.	
This product is specific for Human Merlin	
This antibody is specific for the C Terminus Region of the target protein.	
Manufactured by SDIX's proprietary Genomic Antibody Technology™. GAT FAQs.	
Product Application Details	
Western Blot, ELISA	
Western Blot 1:5000-1:20000, ELISA 1:100-1:2000	
This antibody is useful in ELISA and Western Blot.	




Images

Western Blot: NF2/Merlin Antibody [22710002] - Western Blot was performed using affinity purified SEQer NF2 antibody, aa(477-576) antibody. The lanes contain 5-30ug of a whole cell extract. Final concentration of antibodies = 0.1ug/ml (1:10,000 dilution). The blot was probed overnight with the SEQer NF2 antibody, aa(477-576) antibody. Blot was then washed according to protocol and probed with goat-anti-Rabbit-HRP conjugate at 1:5000 dilution, washed and developed using chemiluminescence (film exposure 5-30sec). The protein was detected as represented by the band shown.



ELISA: NF2/Merlin Antibody [22710002]



Publications

Hu X, Li L, Li F et al. Neogenin suppresses tumor progression and metastasis via inhibiting Merlin/YAP signaling Cell death discovery 2023-02-06 [PMID: 36746934] (WB, Human)

Garrison C, Lastwika K, Zhang Y et al. Proteomic Analysis, Immune Dysregulation, and Pathway Interconnections With Obesity J Proteome Res. 2017-01-06 [PMID: 27769113] (MiAr)

Details:

Analysis is performed on plasma proteomic data to identify how obesity can alter pathways and to highlight the risk factor for disease in subjects with a high body mass index.

Rho JH, Lampe PD. High-throughput screening for native autoantigen-autoantibody complexes using antibody microarrays J Proteome Res. 2013-05-03 [PMID: 23541305] (MiAr)

Details:

A novel method using antibody microarrays is used to detect autoantibody-antigen complexes that can potentially be useful for detection and characterization of diseases.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/22710002

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

