Product Datasheet

HLA G Antibody (MEM-G/9) [Allophycocyanin] NB500-314APC

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB500-314APC

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB500-314APC



NB500-314APC

HLA G Antibody (MEM-G/9) [Allophycocyanin]


J () L	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	MEM-G/9
Preservative	0.05% Sodium Azide
Isotype	lgG1
Conjugate	Allophycocyanin
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	3135
Gene Symbol	HLA-G
Species	Human, Mouse (Negative)
Specificity/Sensitivity	The antibody MEM-G/9 reacts with native form of human HLA-G1 on the cell surface as well as with soluble HLA-G5 isoform in its beta2-microglobulin associated form. Reactivity with HLA-G3 was also reported. The antibody MEM-G/9 is standard reagent thoroughly validated during 3rd International Conference on HLA-G (Paris, 2003).
Immunogen	Recombinant human HLA G Antibody (MEM-G/9) refolded with beta2- microglobulin and peptide (NM_002127.5)
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation, CyTOF-ready
Recommended Dilutions	Western Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Frozen, CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.

www.novusbio.com



Images

Flow Cytometry: HLA G Antibody (MEM-G/9) [Allophycocyanin] [NB500-314APC] - Analysis using the APC conjugate of NB500-314. Double surface staining of HLA-G1 transfectants (viable cells gate) using antihuman HLA-G (MEM-G/9) APC and anti-human HLA-G (MEM-G/11) FITC.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB500-314APC

NBP1-97005APC	Mouse IgG1 Isotype Control (MG1) [Allophycocyanin]
NBP2-61457-20ug	Recombinant Human HLA G His Protein
210-TA-005	TNF-alpha [Unconjugated]
NBL1-11592	HLA G Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-314APC

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

