Product Datasheet

C-Peptide Antibody (CII-11) [DyLight 350] NBP1-05432UV

Unit Size: 0.2 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-05432UV

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-05432UV



NBP1-05432UV

C-Peptide Antibody (CII-11) [DyLight 350]

| 5 |
|---|
| |
| 0.2 ml |
| Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Store at 4C in the dark. |
| Monoclonal |
| CII-11 |
| 0.05% Sodium Azide |
| lgG1 |
| DyLight 350 |
| Protein A purified |
| 50mM Sodium Borate |
| |
| Mouse |
| |
| 3630 |
| 3630 INS |
| |
| INS |
| INS Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more |
| INS Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Reacts with rat c-peptide I, rat c-peptide II, mouse c-peptide I, mouse c-peptide II |
| INS Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Reacts with rat c-peptide I, rat c-peptide II, mouse c-peptide I, mouse c-peptide II and rat proinsulin. Hybridoma clone has been derived from hybridization of Sp2/0 myeloma cells with spleen cells of Balb/c mice immunized with fragments of rat C-peptides I and |
| INS Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Reacts with rat c-peptide I, rat c-peptide II, mouse c-peptide I, mouse c-peptide II and rat proinsulin. Hybridoma clone has been derived from hybridization of Sp2/0 myeloma cells with spleen cells of Balb/c mice immunized with fragments of rat C-peptides I and II conjugated with the carrier protein. |
| INS Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Reacts with rat c-peptide I, rat c-peptide II, mouse c-peptide I, mouse c-peptide II and rat proinsulin. Hybridoma clone has been derived from hybridization of Sp2/0 myeloma cells with spleen cells of Balb/c mice immunized with fragments of rat C-peptides I and II conjugated with the carrier protein. |
| INS Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Reacts with rat c-peptide I, rat c-peptide II, mouse c-peptide I, mouse c-peptide I and rat proinsulin. Hybridoma clone has been derived from hybridization of Sp2/0 myeloma cells with spleen cells of Balb/c mice immunized with fragments of rat C-peptides I and II conjugated with the carrier protein. DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. |
| |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-05432UV

| NBP1-97005UV | Mouse IgG1 Isotype Control (MG1) [DyLight 350] |
|--------------|--|
| 236-EG-200 | EGF [Unconjugated] |
| DICP00 | C-Peptide [HRP] |
| 210-TA-005 | TNF-alpha [Unconjugated] |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-05432UV

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

