

Product Datasheet

TRAILR4/TNFRSF10D/DcR2 Antibody (TRAIL-R4-01) - Azide and BSA Free NBP1-45027SS

Unit Size: 0.025 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-45027

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-45027



NBP1-45027SS

TRAILR4/TNFRSF10D/DcR2 Antibody (TRAIL-R4-01) - Azide and BSA Free

Product Information	
Unit Size	0.025 mg
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	TRAIL-R4-01
Preservative	No Preservative
Isotype	IgG1
Purity	Protein A purified
Buffer	Phosphate buffered saline (PBS), pH 7.4
Target Molecular Weight	42 kDa


Product Description	
Description	Novus Biologicals Mouse TRAILR4/TNFRSF10D/DcR2 Antibody (TRAIL-R4-01) - Azide and BSA Free (NBP1-45027) is a monoclonal antibody validated for use in Flow. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	8793
Gene Symbol	TNFRSF10D
Species	Human
Specificity/Sensitivity	The antibody TRAIL-R4-01 reacts with TRAIL-R4, a 42 kDa transmembrane protein expressed on various blood cells.
Immunogen	TRAIL-R4 (aa 1-210) - hIgGhc fusion protein

Product Application Details	
Applications	Flow Cytometry, CyTOF-ready
Recommended Dilutions	Flow Cytometry 1-4 ug/ml, CyTOF-ready
Application Notes	This antibody is Cytof ready.




Images


Flow Cytometry: TRAIL R4/TNFRSF10D/DcR2 Antibody (TRAIL-R4-01) - Azide Free [NBP1-45027] - Staining of CD264-transfectants using anti-CD264 (TRAIL-R4-01) PE.



Flow Cytometry: TRAIL R4/TNFRSF10D/DcR2 Antibody (TRAIL-R4-01) - Azide Free [NBP1-45027] - A surface stain was performed on HeLa cells with TRAIL R4/TNFRSF10D/DcR2 Antibody (TRAIL-R4-01) NBP1-45027PE and a matched isotype control (orange). Cells were incubated in an antibody dilution of 5 ug/mL for 20 minutes at room temperature. Both antibodies were conjugated to phycoerythrin.



Separation of CD264 transfected HEK-293 cells (red-filled) from HEK-293 nontransfected cells (black-dashed) in Analysis (surface staining) of human peripheral whole blood stained using anti-human CD264 (TRAIL-R4-01) purified antibody (concentration in sample 0,33 ug/ml) GAM APC.



Publications

Gabriel E, Masciarelli A, Chen J Et al. Mass Cytometry - Based Cytotoxicity Assay for Profiling Natural Killer Cells SSRN Electronic Journal 2021-10-02 (CyTOF-ready, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-45027

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

