

Product Datasheet

Rabbit anti-Goat IgG (H+L) Secondary Antibody [DyLight 650] (Pre-adsorbed) NBP1-76152-0.1mg

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-76152

Updated 7/9/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-76152



NBP1-76152-0.1mg

Rabbit anti-Goat IgG (H+L) Secondary Antibody [DyLight 650] (Pre-adsorbed)

Product Information	
Unit Size	0.1 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Conjugate	DyLight 650
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free

Product Description	
Description	Affinity purified antibody is > 95% based on SDS-PAGE. Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. DyLight 650 (Ex = 652 nm; Em = 672 nm). After reconstituted, prepare fresh working dilution daily. Dylight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Host	Rabbit
Species	Goat
Reactivity Notes	Based on IEP, this antibody reacts with and heavy (gamma) chains on goat IgG and light chains on all goat immunoglobulins.
Specificity/Sensitivity	Based on Immunoelectrophoresis, this antibody reacts with and heavy (gamma) chains on goat IgG and light chains on all goat immunoglobulins. Cross Adsorbed: This antibody was pre-adsorbed to reduce cross-reactivity with proteins of non-related species. Minimal cross-reactivity with human, mouse, rat IgG serum proteins.
Immunogen	Purified goat IgG,(H&L)

Product Application Details	
Applications	Flow Cytometry, Immunomicroscopy
Recommended Dilutions	Flow Cytometry 1:20 - 1:2000, Immunomicroscopy 1:20 - 1:2000
Application Notes	This conjugate is suitable for immunomicroscopy and flow cytometry.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76152

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

