# **Product Datasheet**

# ErbB2/Her2 Antibody (HRB2/282) NBP2-32863-0.1mg

Unit Size: 0.1 mg Store at 4C.

www.novusbio.com



technical@novusbio.com

**Publications: 3** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32863

Updated 8/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-32863




## NBP2-32863-0.1mg

ErbB2/Her2 Antibody (HRB2/282)	
0.1 mg	
0.2 mg/ml	
Store at 4C.	
Monoclonal	
HRB2/282	
0.05% Sodium Azide	
IgG1 Kappa	
Protein A or G purified	
10 mM PBS with 0.05% BSA	
185 kDa	
Product Description	
200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-34642)  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.	
Mouse	
2064	
ERBB2	
Human	
Recognizes a protein of 185kDa, which is identified as c-erbB-2/HER-2/neu. Its epitope is localized in the extracellular domain. C-erbB-2/HER-2 is a member of the EGFR family. This monoclonal antibody is specific and shows minimal cross-reaction with other members of the EGFR-family. Receptors of this family are located on the plasma membrane and consist of an extracellular ligand-binding domain that is connected to a large intracellular domain by a single transmembrane sequence. c-erbB-2/HER-2 protein is over-expressed in a variety of carcinomas especially those of breast and ovary.	
Recombinant extracellular domain of human ErbB2/Her2 protein (Uniprot: P04626)	
Product Application Details	
ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Protein Array	
Flow Cytometry 1-2 ug/million cells, ELISA, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Protein Array	
ELISA: For coating, order antibody without BSA).  Optimal dilution for a specific application should be determined.	




#### **Images**


Immunocytochemistry/Immunofluorescence: ErbB2/Her2 Antibody (HRB2/282) [NBP2-32863] - Immunofluorescent staining of PFA-fixed MCF-7 cells with ErbB2/Her2 Monospecific Mouse Monoclonal Antibody (HRB2/282) followed by goat anti-Mouse IgG-CF488 (Green). Nuclei are stained with Reddot (Red).



Flow Cytometry: ErbB2/Her2 Antibody (HRB2/282) [NBP2-32863] - Flow Cytometric Analysis of trypsinized PFA-fixed MCF-7 cells. ErbB2/Her2 Monospecific Mouse Monoclonal Antibody (HRB2/282); followed by Goat anti-mouse IgG-CF488 (Blue); Isotype control (Red).



Protein Array: ErbB2/Her2 Antibody (HRB2/282) [NBP2-32863] - Analysis of Protein Array containing more than 19,000 full-length human proteins using ErbB2/Her2 Antibody (HRB2/282). Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (Monoclonal Antibody) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt(TM) array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt(TM) are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a Monoclonal Antibody to its intended target. A Monoclonal Antibody is considered to specific to its intended target, if the Monoclonal Antibody has an S-score of at least 2.5.



#### **Publications**

Lix K, Tran M, Massey M, et al. Dextran Functionalization of Semiconducting Polymer Dots and Conjugation with Tetrameric Antibody Complexes for Bioanalysis and Imaging ACS Appl Bio Mater 2022-01-12 [PMID: 35019459]

Rees K, Tran MV, Massey M et al. Dextran-Functionalized Semiconductor Quantum Dot Bioconjugates for Bioanalysis and Imaging Bioconjug. Chem. 2020-02-21 [PMID: 32083851]

Tran MV, Susumu K, Medintz IL, Algar WR Supraparticle Assemblies of Magnetic Nanoparticles and Quantum Dots for Selective Cell Isolation and Counting on a Smartphone-Based Imaging Platform Anal. Chem. 2019-08-26 [PMID: 31449391]





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-32863-0.1mg

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP2-29624PEP ErbB2/Her2 Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32863

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

