Product Datasheet

Mitochondria Antibody (113-1) NBP2-32980-0.1mg

Unit Size: 0.1 mg Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32980

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-32980



NBP2-32980-0.1mg


Mitochondria Antibody (113-1)	
Product Information	
Unit Size	0.1 mg
Concentration	0.2 mg/ml
Storage	Store at 4C.
Clonality	Monoclonal
Clone	113-1
Preservative	0.05% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A or G purified
Buffer	10 mM PBS with 0.05% BSA
Target Molecular Weight	60 kDa
Product Description	
Description	200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA at 1.0 mg/ml. (NBP2-34517) Antibody with azide - store at 2 to 8C.
Host	Mouse
Species	Human, Mouse (Negative), Rat (Negative)
Reactivity Notes	Does not react with Mouse or Rat.
Marker	Marker for Human Cells, Granular RCC s & Salivary Tumor
Specificity/Sensitivity	This monoclonal antibody recognizes a 60kDa antigen associated with the mitochondria in human cells. It can be used to stain mitochondria in cell or tissue preparations and can be used as a mitochondrial marker in subcellular fractions. It produces a spaghetti-like pattern in normal and malignant cells. This antibody is an excellent marker for human cells in xenographic model research. It reacts specifically with human cells, including neurons and embryonic stem cells. Immunostaining pattern with anti-mitochondrial monoclonal antibody has been reported as a useful discriminatory adjunct in the complex differential diagnosis of granular renal cell tumors. Reportedly, this monoclonal antibody facilitates the classification of salivary tumors.
Immunogen	Semi-Purified mitochondrial preparation
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1-2 ug/ml, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml, Immunohistochemistry-Frozen 0.5-1.0ug/ml
Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.




Optimal dilution for a specific application should be determined.

Images


Western Blot: Mitochondria Antibody (113-1) [NBP2-32980] - Western Blot analysis of HeLa cell lysate using Mitochondria Antibody (113-1).




Immunocytochemistry/Immunofluorescence: Mitochondria Antibody (113-1) [NBP2-32980] - Confocal immunofluorescence image of HeLa cells using labeled is Green (CF488) and Red Dot is used to label the nuclei Red.




Immunohistochemistry-Paraffin: Mitochondria Antibody (113-1) [NBP2-32980] - Immunohistochemistry-Paraffin: Mitochondria Antibody (113-1) Azide and BSA Free [NBP2-34517] - Formalin-fixed paraffin-embedded human Renal cell carcinoma stained with Mitchondria Monoclonal antibody (113-1). Image using the Azide and BSA Free form of this antibody.




Immunohistochemistry-Paraffin: Mitochondria Antibody (113-1) [NBP2-32980] - Analysis using the Biotin conjugate of NBP2-32980. Staining of human prostate cancer tissue (left) and mouse stomach tissue (right). Image from verified customer review.



Immunohistochemistry-Paraffin: Mitochondria Antibody (113-1) [NBP2-32980] - Formalin-fixed, paraffin-embedded human testicular carcinoma stained with mitochondria monoclonal antibody (113-1). Image using the Azide and BSA Free form of this antibody.



Immunohistochemistry-Paraffin: Mitochondria Antibody (113-1) [NBP2-32980] - Formalin-fixed paraffin-embedded human pancreas stained with mitochondria monoclonal antibody (113-1). Image using the Azide and BSA Free form of this antibody.



Publications

Chang TH, Shanti RM, Liang Y et al. LGR5+ epithelial tumor stem-like cells generate a 3D-organoid model for ameloblastoma Cell Death Dis 2020-05-07 [PMID: 32382005] (IHC-Fr, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-32980-0.1mg

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP2-29448 Mitochondria Isolation Kit

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32980

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

