# **Product Datasheet**

# ZAP70 Antibody (2F3.2) [Alexa Fluor® 700] NBP2-47774AF700

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47774AF700

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47774AF700



# NBP2-47774AF700

ZAP70 Antibody (2F3.2) [Alexa Fluor® 700]

services.	the vial label for concentration. If unlisted please contact technical in the dark.
ConcentrationPlease services.StorageStore at 40ClonalityMonoclonalClone2F3.2Preservative0.05% Soc	c in the dark.
Storage Store at 40 Clonality Monoclona Clone 2F3.2 Preservative 0.05% Soc	c in the dark.
Clone 2F3.2 Preservative 0.05% Soc	
Clone 2F3.2 Preservative 0.05% Soc	
Preservative 0.05% Soc	
Isotype IgG2a Kap	lium Azide
	ра
Conjugate Alexa Fluo	r 700
Purity Protein A	or G purified
Buffer 50mM Soc	ium Borate
Product Description	
<b>Host</b> Mouse	
<b>Gene ID</b> 7535	
Gene Symbol ZAP70	
Species Human	
Marker Chronic Ly	mphocytic Leukemia Marker
Control of whole cell labels a base of CD19-p mutated Control of unmutated samples. I line), the alysates of expressed leukemia (marker for unmutated with divergence.	TokDa protein tyrosine kinase found in T-cells and natural killer cells. This protein translation is via the IgVH gene. In Western blotting of lysates of normal peripheral blood mononuclear cells, the antibody and corresponding to ZAP70. In Western blotting of whole cell lysates estive Purified leukemia cells from patients with Ig-unmutated and Ig-LL, the antibody labels a band corresponding to ZAP70 in the Ig-CLL samples, whereas no band is observed in the Ig-mutated CLL in Western blotting of cell lysates of Jurkat cells (T-lymphoblastic cell intibody labels a band of 70kDa protein. In Western blotting of cell A431 cells (carcinoma cell line), no band is observed. ZAP70 protein is in leukemic cells of approximately 25% of chronic lymphocytic CLL) cases as well. Anti-ZAP70 expression is an excellent surrogate the distinction between the Ig-mutated (anti-ZAP70 negative) and Ig-(anti-ZAP70 positive) CLL subtypes and can identify patient groups ent clinical courses. The anti-ZAP70 positive Ig-unmutated CLL cases shown to have a poorer prognosis.
Immunogen Recombin domains of	ant ZAP-70 protein including residues 1-254 and encompassing SH2



	Page 2 of 3 v.20.1 Updated 10/26/2023
Notes	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

Simple Western, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence
Simple Western, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready
Optimal dilution of this antibody should be experimentally determined.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-47774AF700**

NBP1-87000PEP ZAP70 Recombinant Protein Antigen

202-IL-010 IL-2 [Unconjugated]
3709-KS-010 ZAP70 [Unconjugated]
NBP1-19371 CD4 Antibody - BSA Free

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47774AF700

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

