# **Product Datasheet**

# Laminin gamma 1 Antibody (A5) [FITC] NBP2-47842F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47842F

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47842F



# NBP2-47842F

Laminin gamma 1 Antibody (A5) [FITC]

Unit Size  0.1 ml  Concentration  Please see the vial label for concentration. If unlisted please contact technic services.  Storage  Store at 4C in the dark.  Clonality  Monoclonal  Clone  A5  Preservative  0.05% Sodium Azide  Isotype  IgG2a Kappa  Conjugate  FITC  Purity  Protein A or G purified  Buffer  PBS  Product Description  This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host  Gene ID  3915  Gene Symbol  LAMC1  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and immunofluorescence of human skeletal muscle and kidney with lamining and l	
Concentration  Please see the vial label for concentration. If unlisted please contact technic services.  Storage  Store at 4C in the dark.  Clonality  Monoclonal  Clone  A5  Preservative  0.05% Sodium Azide  Isotype  IgG2a Kappa  Conjugate  FITC  Purity  Protein A or G purified  Buffer  PBS  Product Description  This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host  Rat  Gene ID  3915  Gene Symbol  LAMC1  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Storage Store at 4C in the dark.  Clonality Monoclonal  Clone A5  Preservative 0.05% Sodium Azide  Isotype IgG2a Kappa  Conjugate FITC  Purity Protein A or G purified  Buffer PBS  Product Description  Description This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host Rat  Gene ID 3915  Gene Symbol LAMC1  Species Human, Mouse, Bovine  Reactivity Notes Bovine reported by a verified customer review.  Specificity/Sensitivity Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Clonality Monoclonal  Clone A5  Preservative 0.05% Sodium Azide  Isotype IgG2a Kappa  Conjugate FITC  Purity Protein A or G purified  Buffer PBS  Product Description  Description This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host Rat  Gene ID 3915  Gene Symbol LAMC1  Species Human, Mouse, Bovine  Reactivity Notes Bovine reported by a verified customer review.  Specificity/Sensitivity Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	al
Clone A5 Preservative 0.05% Sodium Azide Isotype IgG2a Kappa Conjugate FITC Purity Protein A or G purified Buffer PBS  Product Description Description This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host Rat Gene ID 3915 Gene Symbol LAMC1 Species Human, Mouse, Bovine Reactivity Notes Bovine reported by a verified customer review.  Specificity/Sensitivity Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Preservative  Isotype  IgG2a Kappa  Conjugate  FITC  Purity  Protein A or G purified  Buffer  PBS  Product Description  Description  This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host  Rat  Gene ID  3915  Gene Symbol  LAMC1  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Isotype Conjugate FITC Purity Protein A or G purified Buffer PBS  Product Description  This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host Rat Gene ID 3915  Gene Symbol LAMC1 Species Human, Mouse, Bovine Reactivity Notes Bovine reported by a verified customer review.  Specificity/Sensitivity Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Conjugate Purity Protein A or G purified  Buffer PBS  Product Description  This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host Rat Gene ID 3915  Gene Symbol LAMC1  Species Human, Mouse, Bovine  Reactivity Notes Bovine reported by a verified customer review.  Specificity/Sensitivity Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Purity Protein A or G purified  Buffer PBS  Product Description  Description This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host Rat  Gene ID 3915  Gene Symbol LAMC1  Species Human, Mouse, Bovine  Reactivity Notes Bovine reported by a verified customer review.  Specificity/Sensitivity Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Buffer PBS  Product Description  This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host Rat  Gene ID 3915  Gene Symbol LAMC1  Species Human, Mouse, Bovine  Reactivity Notes Bovine reported by a verified customer review.  Specificity/Sensitivity Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Product Description  Description  This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host  Rat  Gene ID  3915  Gene Symbol  LAMC1  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
This conjugate is made on demand. Actual recovery may vary from the stat volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host  Rat  Gene ID  3915  Gene Symbol  LAMC1  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
volume of this product. The volume will be greater than or equal to the unit stated on the datasheet.  Host  Rat  Gene ID  3915  Gene Symbol  LAMC1  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Gene Symbol  LAMC1  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Gene Symbol  Species  Human, Mouse, Bovine  Reactivity Notes  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Species  Human, Mouse, Bovine  Bovine reported by a verified customer review.  Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Reactivity Notes  Bovine reported by a verified customer review.  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
Specificity/Sensitivity  Laminins are large hetero-trimeric, non-collagenous glycoproteins compose alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
alpha, beta, and gamma chains. This monoclonal antibody reacts with lamin B2/1 chain of ~210kDa and does not cross-react with other basement mem components or fibronectin. Its specificity was established by immunoprecipi	
chain-specific monoclonal antibodys. Epithelial sheets in vivo are separated the mesenchymal elements of the stroma by a thin layer of a specialized typextracellular matrix termed the basement membrane (BM). This structure consists of individual components, some of which are ubiquitous in BMs and some are not. The ubiquitous ones comprise laminin (LN), entactin/nidogen (EN), collagen type IV (CIV), and large heparan sulfate proteoglycan (HSPC which interact specifically with each other to form a continuous and regular Alterations of BM integrity, from local discontinuities up to complete loss, are described in many types of human and animal epithelial neoplasms. This monoclonal antibody stains uniformly all human and murine basement membranes.	orane cation from the of the orange orange of the orange of the orange of the orange of the orange o
Immunogen Murine EHS laminin preparation	
Product Application Details	
Applications  Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemis Paraffin, CyTOF-ready, Immunofluorescence	try-
Recommended Dilutions  Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry Frozen, Immunofluorescence, CyTOF-ready	гу-



Optimal dilution of this antibody should be experimentally determined.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-47842F**

NBP1-43959-0.1mg Rat IgG2a Kappa Light Chain Isotype Control (R2a) [FITC]

H00003915-P01-10ug Recombinant Human Laminin gamma 1 GST (N-Term) Protein

233-FB-025 FGF basic/FGF2/bFGF [Unconjugated]
NBL1-12430 Laminin gamma 1 Overexpression Lysate

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47842F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

