## **Product Datasheet**

## ABO, Blood Group A Antigen Antibody (3-3A) [DyLight 650] NBP2-47872C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47872C

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47872C



## NBP2-47872C

ABO, Blood Group A Antigen Antibody (3-3A) [DyLight 650]

| 7 to 6, blood Group 7 t7 thager 7 th |  |
|--------------------------------------|--|
| Product Information                  |  |
| Unit Size                            | 0.1 ml   |
| Concentration                        | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                              | Store at 4C in the dark.   |
| Clonality                            | Monoclonal   |
| Clone                                | 3-3A   |
| Preservative                         | 0.05% Sodium Azide   |
| Isotype                              | IgG1 Kappa   |
| Conjugate                            | DyLight 650  |
| Purity                               | Protein G purified   |
| Buffer                               | 50mM Sodium Borate   |
| Product Description                  |  |
| Description                          | This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.  |
| Host                                 | Mouse  |
| Gene ID                              | 28   |
| Gene Symbol                          | ABO  |
| Species                              | Human  |
| Reactivity Notes                     | Others not known.  |
| Specificity/Sensitivity              | This monoclonal antibody preferably reacts with determinants of chain A and H type 3(Gal1-3GalNAc-R) and 4 (Gal1-3GalNAc-R), but not with type 1 and 2 chain structures. It is not reactive with immuno-dominant A trisaccharide. This monoclonal antibody is applicable for tissue staining in tumor patients with blood groups A and AB. It shows a highly heterogeneous reactivity in human colon tumor tissue and adjacent mucosa. Blood-group antigens are generally defined as molecules formed by sequential addition of saccharides to the carbohydrate side chains of lipids and proteins detected on erythrocytes and certain epithelial cells. The A, B and H antigens are reported to undergo modulation during malignant cellular transformation. Blood group related antigens represent a group of carbohydrate determinants carried on both glycolipids and glycoproteins. They are usually mucin-type, and are detected on erythrocytes, certain epithelial cells, and in secretions of certain individuals. Sixteen genetically and biosynthetically distinct but inter-related specificities belong to this group of antigens, including A, B, H, Lewis A, Lewis B, Lewis X, Lewis Y, and precursor type 1 chain antigens. |
| Immunogen                            | Mucin isolated from an ovarian cyst fluid (Uniprot: P16442)  |
| Notes                                |  |
|                                      | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.  |
| <b>Product Application Details</b>   |  |
| Applications                         | Immunohistochomistry Immunohistochomistry Paraffin   |

# Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry, Immunohistochemistry-Paraffin Application Notes Optimal dilution of this antibody should be experimentally determined.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-47872C

NBP1-43319C Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 650]

DHAPG0 Haptoglobin [HRP]

NB100-417 Carbonic Anhydrase IX/CA9 Antibody - BSA Free

NBP1-89342 ATP6V0A1 Antibody

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47872C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



