Product Datasheet

CEACAM5/CD66e Antibody (C66/1030) [Alexa Fluor® 700] NBP2-47977AF700

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47977AF700

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-47977AF700



NBP2-47977AF700

CEACAM5/CD66e Antibody (C66/1030) [Alexa Fluor® 700]

Product Information	
---------------------	--

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact te services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneC66/1030Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several cutumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show reaction with a variety of normal tissues and is suitable for staining of	
services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneC66/1030Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionInterferenceHostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monocolonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
ClonalityMonoclonalCloneC66/1030Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	se contact technical
CloneC66/1030Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
IsotypeIgG1 KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID1048Gene SymbolCEACAM5Specificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
ConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
Buffer50mM Sodium BorateProduct DescriptionHostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
Product Description Host Mouse Gene ID 1048 Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
HostMouseGene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
Gene ID1048Gene SymbolCEACAM5SpeciesHumanSpecificity/SensitivityThis antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
Gene Symbol CEACAM5 Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
Species Human Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
Specificity/Sensitivity This antibody recognizes proteins of 80-200kDa, identified as different of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
of CEA family. CEA is synthesized during development in the fetal gut expressed in increased amounts in intestinal carcinomas and several of tumors. This monoclonal antibody does not react with nonspecific cross antigen (NCA) and with human polymorphonuclear leucocytes. It show	
formalin/paraffin tissues. CEA is not found in benign glands, stroma, or prostatic cells. Antibody to CEA is useful in detecting early foci of gastr carcinoma and in distinguishing pulmonary adenocarcinomas (60-70% +) from pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA posi seen in adenocarcinomas from the lung, colon, stomach, esophagus, p gallbladder, urachus, salivary gland, ovary, and endocervix.	the fetal gut and is re- and several other specific cross-reacting ytes. It shows no staining of s, stroma, or malignant foci of gastric nas (60-70% are CEA nti-CEA positivity is esophagus, pancreas,
Immunogen Recombinant full-length human CEACAM5/CD66e protein (Uniprot: P0	(Uniprot: P06731)



Notes	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready, Immunofluorescence
Recommended Dilutions	Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence, CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-47977AF700

IC002N	Mouse IgG1 Isotype Control (11711) [Alexa Fluor® 700]
NBP1-85742PEP	CEACAM5/CD66e Recombinant Protein Antigen
DKK300	Kallikrein 3/PSA [HRP]
AVI10449-050	CEACAM5/CD66e [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47977AF700

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

