Product Datasheet

p27/Kip1 Antibody (KIP1/769) - IHC-Prediluted NBP2-48399

Unit Size: 7 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-48399

Updated 6/14/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-48399



NBP2-48399

| p27/Kip1 Antibody (KIP1/769) - IHC-Prediluted | |
|---|---|
| Product Information | |
| Unit Size | 7 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C. |
| Clonality | Monoclonal |
| Clone | KIP1/769 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG1 Kappa |
| Purity | Protein A or G purified |
| Buffer | 10 mM PBS with 0.05% BSA |
| Product Description | |
| Description | The prediluted antibody does not require any mixing, dilution, reconstitution, or titration; the antibody is ready-to-use and optimized for staining. |
| Host | Mouse |
| Gene ID | 1027 |
| Gene Symbol | CDKN1B |
| Species | Human, Mouse, Rat, Monkey |
| Specificity/Sensitivity | This monoclonal antibody recognizes a 27kDa protein, identified as the p27Kip1, a cell cycle regulatory mitotic inhibitor. It is highly specific and shows no cross-reaction with other related mitotic inhibitors. p27Kip1 functions as a negative regulator of G1 progression and has been proposed to function as a possible mediator of TGF- induced G1 arrest. p27Kip1 is a candidate tumor suppressor gene. This monoclonal antibody is excellent for staining of formalin-fixed tissues. |
| Immunogen | Recombinant full-length human p27/Kip1 protein (Uniprot: P46527) |
| Product Application Details | |
| Applications | Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Immunohistochemistry, Immunohistochemistry-Paraffin |
| Application Notes | Immunohistochemistry (Formalin-fixed): 0.25-0.5ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 |




Optimal dilution for a specific application should be determined.

Images


Immunohistochemistry-Paraffin: p27/Kip1 Antibody (KIP1/769) - IHC-Prediluted [NBP2-48399] - Rat Colon stained with p27 Monoclonal Antibody (KIP1/769)



Immunohistochemistry-Paraffin: p27/Kip1 Antibody (KIP1/769) - IHC-Prediluted [NBP2-48399] - Human Cervical cancer stained with p27 Monoclonal Antibody (KIP1/769)



Immunohistochemistry-Paraffin: p27/Kip1 Antibody (KIP1/769) - IHC-Prediluted [NBP2-48399] - Human Colon Carcinoma stained with p27 Monoclonal Antibody (KIP1/769)



Immunohistochemistry-Paraffin: p27/Kip1 Antibody (KIP1/769) - IHC-Prediluted [NBP2-48399] - Human Prostate cancer stained with p27 Monoclonal Antibody (KIP1/769)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-48399

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP1-72503-100ug Recombinant Human p27/Kip1 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-48399

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

