## **Product Datasheet**

# TARSH Antibody NBP2-48811

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-48811

Updated 4/10/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-48811



## NBP2-48811


**TARSH Antibody** 

TARSH Antibody	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	25890
Gene Symbol	ABI3BP
Species	Human
Reactivity Notes	Mouse (82%), Rat (83%)
Immunogen	This antibody was developed against a recombinant protein corresponding to amino acids: VEGGIWSKIFNHKTVVGSKKVNGKIQSTYDQDHTVPAYVPRKLIPITIIKQVIQNV THKDSAKSPEKAPLGGVILVHLIIPGLNETTVKLPASLMFEISDAL
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.




### **Images**


Immunohistochemistry-Paraffin: TARSH Antibody [NBP2-48811] - Staining of human skeletal muscle shows no positivity in myocytes as expected.




Immunohistochemistry-Paraffin: TARSH Antibody [NBP2-48811] - Staining of human tonsil shows strong cytoplasmic positivity in nongerminal center cells.



Immunohistochemistry-Paraffin: TARSH Antibody [NBP2-48811] - Staining of human fallopian tube shows weak cytoplasmic positivity in glandular cells.



Immunohistochemistry-Paraffin: TARSH Antibody [NBP2-48811] - Staining of human urinary bladder shows moderate cytoplasmic positivity in urothelial cells.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

## **Products Related to NBP2-48811**

NBP2-48811PEP TARSH Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-48811

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

