Product Datasheet

Secretin Antibody - BSA Free NBP2-48988

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-48988

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-48988



NBP2-48988

Secretin Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description		
Description	Novus Biologicals Rabbit Secretin Antibody - BSA Free (NBP2-48988) is a polyclonal antibody validated for use in IHC. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Host	Rabbit	
Gene ID	6343	
Gene Symbol	SCT	
Species	Human	
Immunogen	This antibody was developed against a recombinant protein corresponding to amino acids: DGTFTSELSRLREGARLQRLLQGLVGKRSEQDAENSMAWTRLSAGLLCPSGS NMPILQAWMPLDGTWSPWLPPGPMVSEPAGAAAEGTL	

Product Application Details		
Applications	Immunohistochemistry-Paraffin, Immunohistochemistry	
Recommended Dilutions	Immunohistochemistry 1:500 - 1:1000, Immunohistochemistry-Paraffin 1:500 - 1:1000	
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.	


Images

Immunohistochemistry-Paraffin: Secretin Antibody [NBP2-48988] - Staining of human liver shows low expression as expected.






Immunohistochemistry-Paraffin: Secretin Antibody [NBP2-48988] - Staining of human duodenum shows high expression.




Analysis in human duodenum and cervix, uterine tissues using NBP2-48988 antibody. Corresponding SCT RNA-seq data are presented for the same tissues.



Staining of human kidney shows negative cytoplasmic positivity in cells in tubules as expected.



Staining of human cervix, uterine shows negative cytoplasmic positivity in squamous epithelial cells as expected.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-48988

NBP2-48988PEP Secretin Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-48988

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

