Product Datasheet

EGFL8 Antibody NBP2-49327

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-49327

Updated 6/7/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-49327



NBP2-49327

EGFL8 Antibody


0.1 ml
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.02% Sodium Azide
IgG
Immunogen affinity purified
PBS (pH 7.2) and 40% Glycerol
Rabbit
80864
EGFL8
Human
This antibody was developed against a recombinant protein corresponding to amino acids: FNTAGSFTCGCPHDLVLGVDGRTCMEGSPEPPTSASILSVAVREAEKDERALK QEIHELRG
Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200

For IHC-Paraffin, HIER pH 6 retrieval is recommended.


Images

Application Notes


Immunocytochemistry/Immunofluorescence: EGFL8 Antibody [NBP2-49327] - Staining of human cell line U-2 OS shows localization to vesicles.




Immunohistochemistry-Paraffin: EGFL8 Antibody [NBP2-49327] - Staining of human testis shows strong membranous positivity in peritubular myoid cells.




Immunohistochemistry-Paraffin: EGFL8 Antibody [NBP2-49327] - Staining of human placenta shows strong membranous positivity in endothelial cells.



Immunohistochemistry-Paraffin: EGFL8 Antibody [NBP2-49327] - Staining of human prostate shows strong membranous positivity in smooth muscle cells.



Immunohistochemistry-Paraffin: EGFL8 Antibody [NBP2-49327] - Staining of human skin shows strong membranous positivity in squamous epithelial cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-49327

NBP2-49327PEP EGFL8 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-49327

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

