# **Product Datasheet**

# CSTF2T Antibody NBP2-49353

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-49353

Updated 6/7/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-49353



## NBP2-49353


**CSTF2T** Antibody

| COTT 21 / Millious          |  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 0.1 ml   |
| Concentration               | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.                                 |
| Storage                     | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.   |
| Clonality                   | Polyclonal   |
| Preservative                | 0.02% Sodium Azide   |
| Isotype                     | IgG  |
| Purity                      | Immunogen affinity purified  |
| Buffer                      | PBS (pH 7.2) and 40% Glycerol  |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 23283  |
| Gene Symbol                 | CSTF2T   |
| Species                     | Human  |
| Reactivity Notes            | Mouse (88%), Rat (86%)   |
| Immunogen                   | This antibody was developed against a recombinant protein corresponding to amino acids:  PMIDQRGLPMDGRGGRDSRAMETRAMETEVLETRVMERRGMETCAMETRG  M   |
| Product Application Details |  |
| Applications                | Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  |
| Recommended Dilutions       | Immunohistochemistry 1:500 - 1:1000,<br>Immunocytochemistry/Immunofluorescence 0.25-2 ug/ml,<br>Immunohistochemistry-Paraffin 1:500 - 1:1000     |
| Application Notes           | For IHC-Paraffin, HIER pH 6 retrieval is recommended.<br>Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use PFA/Triton X-100. |
|                             |  |




## **Images**

Immunocytochemistry/Immunofluorescence: CSTF2T Antibody [NBP2-49353] - Immunofluorescent staining of human cell line PC-3 shows localization to nucleoplasm & vesicles.



Immunohistochemistry-Paraffin: CSTF2T Antibody [NBP2-49353] - Staining of human tonsil shows moderate nuclear positivity in germinal center cells and non-germinal center cells.





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

## **Products Related to NBP2-49353**

NBP2-49353PEP CSTF2T Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-49353

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

