

Product Datasheet

Fibroblasts Antibody (TE-7)

NBP2-50082

Unit Size: 50 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 7

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-50082

Updated 2/22/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-50082




NBP2-50082**Fibroblasts Antibody (TE-7)**

Product Information	
Unit Size	50 ug
Concentration	0.1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	TE-7
Preservative	10mM Sodium Azide
Isotype	IgG1
Purity	Protein A or G purified
Buffer	PBS with 1 mg/ml BSA
Product Description	
Host	Mouse
Species	Human
Specificity/Sensitivity	The antibody reacts with fibroblasts in tissue as well as cultured fibroblasts. On skin sections the antibody reacts with stratum basal epidermal cells. The antigen defined by antibody TE-7 appears to be a marker for mesodermally derived (mesenchymal) human connective tissue and tumors derived from such tissue, e.g. fibrosarcomas (Haynes, B.F., et al. (1984). J. Exp. Med. 159(4):1149-1168). The antibody is useful for the assessment of thymic epithelial culture contamination with fibroblasts, and the identification of cells of mesodermal origin in the fetus.
Immunogen	Whole human thymic stoma cells (Haynes, B.F., et al. (1984). J. Exp. Med. 159 (4):1149-1168).
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Flow Cytometry 1:100 , Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:100-1:200, Immunohistochemistry-Paraffin




Images

Immunocytochemistry/Immunofluorescence: Fibroblasts Antibody (TE-7) [NBP2-50082] - MRC-5 human embryonic lung fibroblast cell line, fixation with PFA 4%, blocking with PBS 1X + 1% BSA + 0.1% Tween, primary antibody used at 1:50 in blocking buffer, O/N. Secondary antibody: goat anti mouse Alexa Fluor 594 for 1 hour at RT. Signal was detected by fluorescence microscopy at 40X. This image was submitted via customer review.



Immunohistochemistry-Paraffin: Fibroblasts Antibody (TE-7) [NBP2-50082] - Paraffin-embedded gastrocnemius section from a patient with myopathic condition was performed overnight at 4 degrees C using 10 ug/mL.



Publications

Sulaiman R, De P, Aske JC et al. Tumor-TME Bipartite Landscape of PD-1/PD-L1 in Endometrial Cancers International journal of molecular sciences 2023-07-04 [PMID: 37446260] (ICC/IF, Human)

Sulaiman R, De P, Aske JC et al. Characterization and Clinical Relevance of Endometrial CAFs: Correlation between Post-Surgery Event and Resistance to Drugs International journal of molecular sciences 2023-03-29 [PMID: 37047422] (ICC/IF, Human)

Shen M, Zhao SR, Khokhar Y et al. Protocol to generate cardiac pericytes from human induced pluripotent stem cells STAR protocols 2023-04-27 [PMID: 37119139] (IHC, Human)

Sulaiman R, De P, Aske J et al. Patient-Derived Primary Cancer-Associated Fibroblasts Mediate Resistance to Anti-Angiogenic Drug in Ovarian Cancers Biomedicines 2023-01-01 [PMID: 36672620] (IHC, ICC/IF, Human)

Details:
Intracellular Flow

Sgarminato V, Madrid-Wolff J, Boniface A et al. Tomographic volumetric bioprinting of 3D pancreatic cancer models bioRxiv 2023-01-24

Whitehead AJ, Hocker JD, Ren B, Engler AJ Improved epicardial cardiac fibroblast generation from iPSCs Journal of molecular and cellular cardiology 2021-11-24 [PMID: 34826415] (ICC/IF, Human)

Calabrese D, Roma G, Bergling S et al. Liver biopsy derived induced pluripotent stem cells provide unlimited supply for the generation of hepatocyte-like cells PLoS One. 2019-01-01 [PMID: 31465481] (ICC/IF, Human, Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-50082

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-50082

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

