# **Product Datasheet**

# Prostatic Acid Phosphatase/ACPP Antibody (ACPP/1338) Azide and BSA Free NBP2-54308-100ug

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-54308

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-54308



# NBP2-54308-100ug

Prostatic Acid Phosphatase/ACPP Antibody (ACPP/1338) - Azide and BSA Free


	, restaute , restaute en la rustille		
Product Information			
Unit Size	100 ug		
Concentration	1 mg/ml		
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.		
Clonality	Monoclonal		
Clone	ACPP/1338		
Preservative	No Preservative		
Isotype	IgG1 Kappa		
Purity	Protein A or G purified		
Buffer	10 mM PBS		
Target Molecular Weight	52 kDa		
Product Proprietion			

<b>Product Description</b>	
Description	1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP2-47631).  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.
Host	Mouse
Gene ID	55
Gene Symbol	ACP3
Species	Human
Immunogen	Recombinant full-length human Prostatic Acid Phosphatase/ACPP protein (Uniprot: P15309)

	·
<b>Product Application Details</b>	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry, Immunohistochemistry-Paraffin
Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.

## **Images**

Immunohistochemistry-Paraffin: Prostatic Acid Phosphatase/ACPP Antibody (ACPP/1338) [NBP2-54308] - Formalin-fixed, paraffinembedded human Prostate Carcinoma stained with PSAP Monoclonal Antibody (ACPP/1338).







### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# Products Related to NBP2-54308-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP1-90263PEP Prostatic Acid Phosphatase/ACPP Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54308

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

