Product Datasheet

CD79A Antibody (IGA/1688R) [Alexa Fluor® 700] NBP2-54469AF700

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-54469AF700

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-54469AF700



NBP2-54469AF700

CD79A Antibody (IGA/1688R) [Alexa Fluor® 700]

Product Information Unit Size 100 ul Concentration Please see the vial label for concentration. If unlisted please contact techniservices. Storage Store at 4C in the dark. Clonality Monoclonal Clone IGA/1688R Preservative 0.05% Sodium Azide Isotype IgG Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (or CD79b) polypeptides, is non-covalently associated with membrane-bound	cal
Concentration Please see the vial label for concentration. If unlisted please contact techniservices. Storage Store at 4C in the dark. Clonality Monoclonal Clone IGA/1688R Preservative 0.05% Sodium Azide Isotype IgG Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (or consisting of mb-1 (or	cal
services. Storage Store at 4C in the dark. Clonality Monoclonal Clone IGA/1688R Preservative 0.05% Sodium Azide Isotype IgG Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (crossed)	cal
Clonality Monoclonal Clone IGA/1688R Preservative 0.05% Sodium Azide Isotype IgG Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (cd.)	
Clone IGA/1688R Preservative 0.05% Sodium Azide Isotype IgG Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (cd.)	
Preservative 0.05% Sodium Azide Isotype IgG Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (cd.)	
Isotype IgG Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (cd.)	
Conjugate Alexa Fluor 700 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (cd.)	
Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (constant)	
Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (constant)	
Product Description Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (constant)	
Host Rabbit Gene ID 973 Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (constant)	
Gene ID Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (constant)	
Gene Symbol CD79A Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (consisting of mb-1).	
Species Human, Mouse, Rat Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (consisting of mb-1).	
Marker B-Cell Marker Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (consisting of mb-1).	
Specificity/Sensitivity A disulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (consisting of mb-1).	
immunoglobulins on B cells. This complex of mb-1 and B29 polypeptides a immunoglobulin constitute the B cell Ag receptor. CD79a first appears at proceed cell stage, early in maturation, and persists until the plasma cell stage when found as an intracellular component. CD79a is found in the majority of acutal leukemias of precursor B cell type, in B cell lines, B cell lymphomas, and in myelomas. It is not present in myeloid or T cell lines. Anti-CD79a is general used to complement anti-CD20 especially for mature B-cell lymphomas after treatment with Rituximab (anti-CD20). This antibody will stain many of the slymphomas as anti-CD20, but also is more likely to stain B-lymphoblastic lymphoma/leukemia than is anti-CD20. Anti-CD79a also stains more cases plasma cell myeloma and occasionally some types of endothelial cells as well as the complex of the stain below the complex of the c	nd e B e it is e some ly er ame
Immunogen A synthetic peptide corresponding to aa 202-216 (GTYQDVGSLNIADVQ) (human CD79A protein (Uniprot: P11912)	f



	Page 2 of 3 V.20.1 Updated 10/26/2023
Notes	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-54469AF700

NBP2-24891AF700 Rabbit IgG Isotype Control [Alexa Fluor® 700]

NBP2-60209-50ug Recombinant Human CD79A His Protein

7268-CT-100 CTLA-4 [Unconjugated] 9685-CD-050 CD79A [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54469AF700

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

