## **Product Datasheet**

# PAX8 Antibody (PAX8/1492) - Azide and BSA Free NBP2-54539-100ug

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-54539

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-54539



## NBP2-54539-100ug

PAX8 Antibody (PAX8/1492) - Azide and BSA Free

| PANO AHIIDUUY (PANO/1492) - AZIUE AHU DOA FIEE |  |
|--|--|
| Product Information                            |  |
| Unit Size                                      | 100 ug   |
| Concentration                                  | 1 mg/ml  |
| Storage  | Store at -20 to -80C. Avoid freeze-thaw cycles.  |
| Clonality                                      | Monoclonal   |
| Clone  | PAX8/1492  |
| Preservative                                   | No Preservative  |
| Isotype  | IgG2b Kappa  |
| Purity   | Protein A or G purified  |
| Buffer   | 10 mM PBS  |
| Target Molecular Weight                        | 62 kDa   |
| Product Description                            |  |
| Description                                    | 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP2-53371).  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.  |
| Host   | Mouse  |
| Gene ID  | 7849   |
| Gene Symbol                                    | PAX8   |
| Species  | Human, Canine  |
| Marker   | Renal Cell Marker  |
| Specificity/Sensitivity                        | Recognizes a protein of 62kDa, identified as PAX8. It is a member of the paired box (PAX) family of transcription factors. This nuclear protein is involved in thyroid follicular cell development and expression of thyroid-specific genes. Mutations in this gene have been associated with thyroid dysgenesis, thyroid follicular carcinomas, and atypical thyroid adenomas. PAX-8 is expressed in the thyroid (and associated carcinomas), non-ciliated mucosal cells of the fallopian tubes, and simple ovarian inclusion cysts, but not normal ovarian surface epithelial cells. PAX-8 is expressed in a high percentage of ovarian serous, endometrioid, and clear cell carcinomas, but only rarely in primary ovarian mucinous adenocarcinomas. PAX-8 expression is reported in renal tubules as well as renal cell carcinoma, nephroblastoma, and seminoma. PAX-8 antibody may be used as an additional immunohistochemical marker for renal epithelial tumors. |
| Immunogen                                      | Recombinant fragment (around aa 60-261) of human PAX8 protein (exact sequence is proprietary) (Uniprot: Q06710)  |
| Product Application Details                    |  |
| Applications                                   | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Protein Array, CyTOF-ready   |
| Recommended Dilutions                          | Western Blot 0.5 - 1 ug/ml, Flow Cytometry 0.5 - 1 ug/million cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1 - 2 ug/ml, Immunohistochemistry-Paraffin 1 - 2 ug/ml, Protein Array, CyTOF-ready  |




#### **Application Notes**


Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris buffer with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.

#### **Images**


Western Blot: PAX8 Antibody (PAX8/1492) - Azide and BSA Free [NBP2 -54539] - Analysis (A) Recombinant Protein (B) Raji Cell Lysate Using PAX8 Monoclonal Antibody (PAX8/1492).




Immunohistochemistry-Paraffin: PAX8 Antibody (PAX8/1492) - Azide and BSA Free [NBP2-54539] - Formalin-fixed, paraffin-embedded human Urothelial Carcinoma stained with PAX8 Monoclonal Antibody (PAX8/1492).



Immunohistochemistry-Paraffin: PAX8 Antibody (PAX8/1492) - Azide and BSA Free [NBP2-54539] - Formalin-fixed, paraffin-embedded human Renal Cell Carcinoma stained with PAX8 Monoclonal Antibody (PAX8/1492).




Immunohistochemistry-Paraffin: PAX8 Antibody (PAX8/1492) - Azide and BSA Free [NBP2-54539] - Formalin-fixed, paraffin-embedded human Thyroid Carcinoma stained with PAX8 Monoclonal Antibody (PAX8/1492).





Protein Array: PAX8 Antibody (PAX8/1492) - Azide and BSA Free [NBP2 -54539] - Analysis of Protein Array containing >19,000 full-length human proteins using PAX8 Antibody (PAX8/1492) Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-lgG secondary antibody) produces when binding to a particular protein on the HuProt (TM) array. Z-scores are described in units of standard deviations (SDs) above the mean value of all signals generated on that array. If targets on HuProt(TM) are arranged in descending order of the Z-score, the S-score is the difference (also in units of SDs) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5.





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP2-54539-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43317-0.5mg Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)

NBP2-51907-0.05mg Recombinant Human PAX8 His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54539

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

