Product Datasheet

Histone H3 [Trimethyl Lys9] Antibody - BSA Free NBP2-54612

Unit Size: 50 ug

Store at 4C short term. Aliquot and store at -80C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-54612

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-54612



NBP2-54612

Histone H3 [Trimethyl Lys9] Antibody - BSA Free


Product Information		
Unit Size	50 ug	
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.	
Storage	Store at 4C short term. Aliquot and store at -80C long term. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.05% Sodium Azide and 0.05% ProClin 300	
Isotype	IgG	
Purity	Affinity purified	
Buffer	PBS	
Target Molecular Weight	15 kDa	

Product DescriptionDescriptionNovus Biologicals Rabbit Histone H3 [Trimethyl Lys9] Antibody - BSA Free (NBP2-54612) is a polyclonal antibody validated for use in WB, ELISA, ICC/IF and ChIP. All Novus Biologicals antibodies are covered by our 100% guarantee.HostRabbitGene ID126961Gene SymbolH3C14SpeciesHuman, Mouse, YeastImmunogenThis Histone H3 [Trimethyl Lys4] antibody was developed against H3K4Me3		
(NBP2-54612) is a polyclonal antibody validated for use in WB, ELISA, ICC/IF and ChIP. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Rabbit Gene ID 126961 Gene Symbol H3C14 Species Human, Mouse, Yeast	Product Description	
Gene ID 126961 Gene Symbol H3C14 Species Human, Mouse, Yeast	Description	(NBP2-54612) is a polyclonal antibody validated for use in WB, ELISA, ICC/IF
Gene Symbol H3C14 Species Human, Mouse, Yeast	Host	Rabbit
Species Human, Mouse, Yeast	Gene ID	126961
	Gene Symbol	H3C14
Immunogen This Histone H3 [Trimethyl Lys4] antibody was developed against H3K4Me3	Species	Human, Mouse, Yeast
	Immunogen	This Histone H3 [Trimethyl Lys4] antibody was developed against H3K4Me3

Product Application Details	
Applications	Western Blot, Dot Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Protein Array, Chromatin Immunoprecipitation (ChIP), Chromatin Immunoprecipitation Sequencing
Recommended Dilutions	Western Blot 1:1000, ELISA 1:5000, Immunocytochemistry/ Immunofluorescence 1:250, Dot Blot 1:20000, Protein Array 1:5000, Chromatin Immunoprecipitation (ChIP) 1 ug/IP, Chromatin Immunoprecipitation Sequencing

Images

Western Blot: Histone H3 [Trimethyl Lys9] Antibody [NBP2-54612] - Western blot was performed on whole cell (50 ug, lane 1) and histone extracts (15 ug, lane 2) from HeLa cells, and on 1 ug of recombinant histone H2A, H2B, H3.1, H3.2 and H4 (lane 3, 4, 5, 6 and 7, respectively) using the antibody against H3K9me3. The antibody was diluted 1:1,000 in TBS-Tween containing 5% skimmed milk. Observed molecular weight is ~17 kDa.







Immunocytochemistry/Immunofluorescence: Histone H3 [Trimethyl Lys9] Antibody [NBP2-54612] - HeLa cells were stained with the Diagenode antibody against H3K9me3 and with DAPI. Cells were fixed with 4% formaldehyde for 10 minutes and blocked with PBS/TX-100 containing 5% normal goat serum and 1% BSA. The cells were immunofluorescently labeled with the H3K9me3 antibody (left) diluted 1:250 in blocking solution followed by an anti-rabbit antibody conjugated to Alexa Fluor 488. The middle panel shows staining of the nuclei with DAPI. A merge of the two stainings is shown on the right.




Chromatin Immunoprecipitation: Histone H3 [Trimethyl Lys9] Antibody [NBP2-54612] - ChIP assays were performed using human HeLa cells, the antibody against H3K9me3 and optimized PCR primer pairs for qPCR. ChIP was performed with a ChIP-seq kit, using sheared chromatin from 1,000,000 cells. A titration consisting of 1, 2, 5 and 10 ug of antibody per ChIP experiment was analyzed. IgG (2 ug/IP) was used as a negative IP control. Quantitative PCR was performed with primers specific for the promoter of the active genes GAPDH and EIF4A2, used as negative controls, and for ZNF510 and the Sat2 satellite repeat, used as positive controls. The figure shows the recovery, expressed as a % of input (the relative amount of immunoprecipitated DNA compared to input DNA after qPCR analysis).




Immunofluorescence: Histone H3 [Trimethyl Lys9] Antibody [NBP2-54612] - NIH 3T3 cells were stained with the antibody against H3K9me3, left or with the negative control recombinant antibody, right. The bottom panel shows counterstaining of the cells with DAPI. Image using the Biotin form of this antibody.




ELISA: Histone H3 [Trimethyl Lys9] Antibody [NBP2-54612] - To determine the titer of the antibody, an ELISA was performed using a serial dilution of the antibody against H3K9me3. The antigen used was a peptide containing the histone modification of interest. By plotting the absorbance against the antibody dilution, the titer of the antibody was estimated to be 1:42,700.



Dot Blot: Histone H3 [Trimethyl Lys9] Antibody [NBP2-54612] - To test the cross reactivity of the antibody against H3K9me3, a Dot Blot analysis was performed with peptides containing other histone modifications and the unmodified H3K9. One hundred to 0.2 pmol of the respective peptides were spotted on a membrane. The antibody was used at a dilution of 1:20,000. Figure shows a high specificity of the antibody for the modification of interest.



Protein Array: Histone H3 [Trimethyl Lys9] Antibody [NBP2-54612] - The specificity of the antibody was further demonstrated by peptide array analyses on an array containing 384 peptides with different combinations of modifications from histone H3, H4, H2A and H2B. The antibody was used at a dilution of 1:5,000. Figure shows the specificity factor, calculated as the ratio of the average intensity of all spots containing the mark, divided by the average intensity of all spots not containing the mark.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-54612

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB21-1141PEP Histone H3 [Monomethyl Lys18] Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54612

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

