Product Datasheet

RAD52 Antibody NBP2-58116

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-58116

Updated 7/28/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-58116



NBP2-58116


RAD52 Antibody

TO LOCE / Williaddy	
Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	5893
Gene Symbol	RAD52
Species	Human
Immunogen	This antibody was developed against a recombinant protein corresponding to the following amino acid sequence: ILGGRDSHPAAGGGSVLCFGQCQYTAEEYQAIQKALRQRLGPEYISSRMAGG GQKVCYIEGHRVINLANEMFGYNGWAHSITQQNVDFVDLNNGKFYVGVCAFV RVQLKDGSYHEDVGYGVSE
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Knockdown Validated
Recommended Dilutions	Western Blot Use in WB, ICC/IF, KD reported in scientific publication (PMID: 32690953). , Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Knockdown Validated
Application Notes	ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.
oplication Notes	ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




Images

Western Blot: RAD52 Antibody [NBP2-58116] - HCC1937 human breast cancer cells untreated (1) and treated with a PARP inhibitor for 96 h (2). Two RAD52 bands can be appreciated at around 55 kDa. Ponceau red staining is used as total protein loading control (below). Primary antibody dilution 1:500 (overnight, 4C, rotation). Image from verified customer review.



Immunocytochemistry/Immunofluorescence: RAD52 Antibody [NBP2-58116] - Staining of human cell line U-2 OS shows localization to nuclear speckles. Antibody staining is shown in green.



Publications

Volcic M, Sparrer KMJ, Koepke L et al. Vpu modulates DNA repair to suppress innate sensing and hyper-integration of HIV-1 Nat Microbiol 2020-07-20 [PMID: 32690953] (ICC/IF, KD, WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-58116

NBP2-58116PEP RAD52 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-58116

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

