

Product Datasheet

Nicalin Antibody NBP2-59116

Unit Size: 100 ul

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-59116

Updated 10/10/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-59116



NBP2-59116


Nicalin Antibody

Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-buffered Saline containing 0.1% BSA
Product Description	
Host	Rabbit
Gene ID	56926
Gene Symbol	NCLN
Species	Human, Mouse
Immunogen	Maps to a region between 375 and 425
Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000, Immunoprecipitation 20 ul/mg lysate
Application Notes	Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.




Images


Western Blot: Nicalin Antibody [NBP2-59116] - Whole cell lysate (50 ug) from HEK293T, LNCaP, and HeLa cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-NCLN antibody used for WB at 1:1000. Detection: Chemiluminescence with an exposure time of 3 minutes.



Western Blot: Nicalin Antibody [NBP2-59116] - Detection of mouse NCLN by western blot. Samples: Whole cell lysate (50 ug) from TCMK-1 and NIH 3T3 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-NCLN antibody NBP2-59116. Detection: Chemiluminescence with an exposure time of 30 seconds.



Immunoprecipitation: Nicalin Antibody [NBP2-59116] - Detection of human NCLN by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HEK293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-NCLN antibody NBP2-59116 (lot NBP2-59116-2) used for IP at 20 ul/mg lysate. NCLN was also immunoprecipitated by a previous lot of this antibody (lot NBP2-59116-1) and another rabbit anti-NCLN antibody. For blotting immunoprecipitated NCLN, NBP2-59116 was used at 1:1000. Detection: Chemiluminescence with an exposure time of 30 seconds.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-59116

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

