Product Datasheet

Histone H3 [Dimethyl Lys9] Antibody - BSA Free NBP2-59200

Unit Size: 50 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-59200

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-59200



NBP2-59200


Histone H3 [Dimethyl Lys9] Antibody - BSA Free

| Histone H3 [Dimethyl Lys9] Antibody - BSA Free | |
|--|--|
| Product Information | |
| Unit Size | 50 ug |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide and 0.05% ProClin 300 |
| Isotype | IgG |
| Purity | Peptide affinity purified |
| Buffer | PBS |
| Target Molecular Weight | 15 kDa |
| Product Description | |
| Description | Novus Biologicals Rabbit Histone H3 [Dimethyl Lys9] Antibody - BSA Free (NBP2-59200) is a polyclonal antibody validated for use in WB, ELISA, ICC/IF and ChIP. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Rabbit |
| Gene ID | 126961 |
| Gene Symbol | H3C14 |
| Species | Human, Mouse, A. thaliana, Plant, Xenopus |
| Reactivity Notes | Rice, tomato, B. napus |
| Immunogen | The exact sequence of the immunogen to this Histone H3 [Dimethyl Lys9] antibody is proprietary. |
| Product Application Details | |
| Applications | Western Blot, Dot Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Chromatin Immunoprecipitation (ChIP), Immunofluorescence |
| Recommended Dilutions | Western Blot 1:1000, ELISA 1:1000, Immunocytochemistry/ Immunofluorescence 1:500, Dot Blot 1:20000, Immunofluorescence 1:500, Chromatin Immunoprecipitation (ChIP) 2 ug/IP |
| | |



Images


Western Blot: Histone H3 [Dimethyl Lys9] Antibody [NBP2-59200] - Histone extracts (15 ug) from HeLa cells were analysed by Western blot using the antibody against H3K9me2 diluted 1:1,000 in TBS-Tween containing 5% skimmed milk. Observed molecular weight is ~17 kDa.




Immunocytochemistry/Immunofluorescence: Histone H3 [Dimethyl Lys9] Antibody [NBP2-59200] - Mouse NIH3T3 cells were stained with the antibody against H3K9me2 and with DAPI. Cells were fixed with 4% formaldehyde for 10' and blocked with PBS/TX-100 containing 5% normal goat serum and 1% BSA. The cells were immunofluorescently labeled with the H3K9me2 antibody (left) diluted 1:500 in blocking solution followed by an anti-rabbit antibody conjugated to Alexa488. The middle panel shows staining of the nuclei with DAPI. A merge of the two stainings is shown on the right.



Chromatin Immunoprecipitation: Histone H3 [Dimethyl Lys9] Antibody [NBP2-59200] - ChIP assays were performed using human HeLa cells, the antibody against H3K9me2 and optimized PCR primer sets for qPCR. ChIP was performed using sheared chromatin from 1 million cells. A titration of the antibody consisting of 1, 2, 5, and 10 ug per ChIP experiment was analysed. IgG (2 ug/IP) was used as negative IP control. QPCR was performed with primers specific for promoter of the inactive HBB gene and the coding region of the inactive MYOD gene, used as positive controls, and for the promoters of the active genes c-fos and GAPDH, used as negative controls. Figure shows the recovery, expressed as a % of input (the relative amount of immunoprecipitated DNA compared to input DNA after qPCR analysis).



ELISA: Histone H3 [Dimethyl Lys9] Antibody [NBP2-59200] - To determine the titer of the antibody, an ELISA was performed using a serial dilution of the antibody against H3K9me2, crude serum and Flow through. The antigen used was a peptide containing the histone modification of interest. By plotting the absorbance against the antibody dilution, the titer of the antibody was estimated to be 1:103,000.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-59200

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB21-1001PEP Histone H3 [Monomethyl Arg2] Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-59200

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

