

Product Datasheet

Inorganic Pyrophosphatase/PPA1 Antibody (4G4) - BSA Free NBP2-59471-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-59471

Updated 4/3/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-59471



NBP2-59471-100ul


Inorganic Pyrophosphatase/PPA1 Antibody (4G4) - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4G4
Preservative	0.02% Sodium Azide
Isotype	IgG2b Lambda
Purity	Protein A purified
Buffer	PBS (pH 7.4), 10% Glycerol
Product Description	
Host	Mouse
Gene ID	5464
Gene Symbol	PPA1
Species	Human
Immunogen	Recombinant human Inorganic Pyrophosphatase/PPA1 (1-289aa) purified from E. coli
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1:1000, Flow Cytometry 1:10-1:1071, ELISA, Immunocytochemistry/ Immunofluorescence 1:100




Images


Western Blot: Inorganic Pyrophosphatase/PPA1 Antibody (4G4) [NBP2-59471] - Lane 1: HeLa cell lysates, Lane 2: A431 cell lysates, Lane 3: 293T cell lysates, Lane 4: HepG2 cell lysates, Lane 5: U87MG cell lysates, Lane 6: PC3 cell lysates, Lane 7: WiDr cell lysates



Immunocytochemistry/Immunofluorescence: Inorganic Pyrophosphatase/PPA1 Antibody (4G4) [NBP2-59471] - Immunofluorescence analysis of Pyrophosphatase/PPA1 in HeLa cells using NBP2-59471 (1:100). The secondary antibody (green) used was Alexa Fluor 488. DAPI was stained the cell nucleus (blue).



Flow Cytometry: Inorganic Pyrophosphatase/PPA1 Antibody (4G4) [NBP2-59471] - Flow cytometry analysis of Pyrophosphatase/PPA1 in HeLa cells. The cell was stained with NBP2-59471 at 2-5ug for 1×10^6 cells (red). A Goat anti mouse IgG (Alexa Fluor 488) was used as the secondary antibody. Mouse monoclonal IgG was used as the isotype control (dark gray), cells without incubation with primary and secondary antibody was used as the negative control (light gray).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-59471-100ul

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-72378-100ug	Recombinant E. coli Inorganic Pyrophosphatase/PPA1 His Protein
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-59471

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

