Product Datasheet

SOX10 Antibody (SOX10/991) [Alexa Fluor® 700] NBP2-59621AF700

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-59621AF700

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-59621AF700



NBP2-59621AF700

SOX10 Antibody (SOX10/991) [Alexa Fluor® 700]

Product Information Unit Size 100 ul Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone SOX10/991 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Alexa Fluor 700 Purity Protein A or G purified Buffer 50MM Sodium Borate Product Description Mouse Gene ID 6663 Gene Symbol SOX10 Specificity/Sensitivity Melanoma Marker Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProTM Array, containing more than 19,000, full-length human proteins. Specificity/Sensitivity Sty genes compones a corrs. react with other members of the SOX- tamily. SOX genes compones a construct subtypes. It is expressed to the sequence shat encode for the HMG-box domain, which is responsible for the sequence shat encode for the HMG-box domain, which is responsible for the sequence shat encode for the HMG-box domain, which is responsible for the sequence shat encode for the HMG-box domain, which is responsible for the sequence shat encode for the HMG-box domain, which is responsible for the sequence shat encod				
ConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneSOX10/991Preservative0.05% Sodium AzideIsotypeIgG2b KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct Description6663Gene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificit of this monoclonal antibody to its intended target was validated by HuProtTi M Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is singhly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic melanomas, but not by other lymph node components such as dentific cells, which usally express S100 protein. Commonly used melanoma marker, such as anti-HMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas sOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas in normal tisues, it is expressed by its SOX-10 is	Product Information	Product Information		
services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneSOX10/991Preservative0.05% Sodium AzideIsotypeIgG2b KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBufferSomM Sodium BorateProduct Description6663Gene ID6663Gene SymbolSOX10Specificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19.000, full-ength human proteins. Recognizes a protein of -SSDRa, identified as SOX10. This monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19.000, full-ength human proteins. Family, SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding genotity. SOX 10 is a sentitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentine markers, but not by other Wiph node components such as demoplastic melanomas while SOX-10 is or molenama while SOX-10 is or molenama while SOX-10 is or molenama while SOX-10 is or sentive marker of melanoma, including conventional, spindled, and desmoplastic melanomas soX-10 is or sensitive marker of neatoma, which is responsible for the sequence-specific DNA-binding activity. SOX 10 is a sensitive marker of melanoma. SoX-10 is a sensitive marker of neatoma, which is responsible for the sequence-specific protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- <th>Unit Size</th> <th>100 ul</th>	Unit Size	100 ul		
ClonalityMonoclonalCloneSOX10/991Preservative0.05% Sodium AzideIsotypeIgG2b KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein or 55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- 	Concentration			
CloneSOX10/991Preservative0.05% Sodium AzideIsotypeIgG2b KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProTTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-tamily. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic cultypes. It is expressed by metastatic DNA-binding activity. SOX-10 is a sensitive marker of melanomas. SOX 10 protein. Commonly used melanoma such as dendritic cells, which usually express 5100 protein. Commonly used melanoma such as dendritic cells, which usually express 5100 protein. Commonly used melanoma tile SOX-10 is considered as a very reliable marker is expressed by metastatic melanomas. In normal tissues, it is expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker of recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker of recognizing residual desmoplastic melanomas. SOX-10 is considered as a very reliable marker is expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker of recognizing residual desmoplastic melanomas. SOX-10 is considered as a v	Storage	Store at 4C in the dark.		
Preservative0.05% Sodium AzideIsotypeIgG2b KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by thuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMC-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by onteatstatic melanomas and nodal capsular nevus in sentinel HymB-Ad5 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is melanomas. In normal tissues, it is expressed in Schwann cells.ImmunogenRecombinant human SOX10 protein fragment (around ant15-269) (exact	Clonality	Monoclonal		
IsotypeIgG2b KappaConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desumplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendrific cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant	Clone	SOX10/991		
ConjugateAlexa Fluor 700PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProTTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody to its intended target was validated by HuProTTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic with subjes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendrific cells, which usualy express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanoma, sol-10 is moderately to strongly expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells. <tr< th=""><th>Preservative</th><th>0.05% Sodium Azide</th></tr<>	Preservative	0.05% Sodium Azide		
PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma marker, such as anti-HME-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Isotype	IgG2b Kappa		
Buffer 50mM Sodium Borate Product Description Mouse Host Mouse Gene ID 6663 Gene Symbol SOX10 Species Human, Mouse Marker Melanoma Marker Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HIMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.	Conjugate	Alexa Fluor 700		
Product Description Host Mouse Gene ID 6663 Gene Symbol SOX10 Species Human, Mouse Marker Melanoma Marker Specificity/Sensitivity The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX-family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HIMB-45 and anti-Melan-A, are poorly expressed in desmoplastic melanomas soX-10 is moderately to strongly expressed in desmoplastic melanomas soX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is an oncidered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.	Purity	Protein A or G purified		
HostMouseGene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Buffer	50mM Sodium Borate		
Gene ID6663Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary. bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Product Description			
Gene SymbolSOX10SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Host	Mouse		
SpeciesHuman, MouseMarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Gene ID	6663		
MarkerMelanoma MarkerSpecificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Gene Symbol	SOX10		
Specificity/SensitivityThe specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in desmoplastic melanomas. SOX-10 is moderately to strongly expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Species	Human, Mouse		
HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express \$100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is noderately to strongly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10 expression is also observed in mast cells.ImmunogenRecombinant human SOX10 protein fragment (around aa115-269) (exact	Marker	Melanoma Marker		
Immunogen Recombinant human SOX10 protein fragment (around aa115-269) (exact	Specificity/Sensitivity	HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of ~55kDa, identified as SOX10. This monoclonal antibody is highly specific and does not cross-react with other members of the SOX- family. SOX genes comprise a family of genes that are related to the mammalian sex-determining gene SRY. These genes similarly contain sequences that encode for the HMG-box domain, which is responsible for the sequence-specific DNA-binding activity. SOX-10 is a sensitive marker of melanoma, including conventional, spindled, and desmoplastic subtypes. It is expressed by metastatic melanomas and nodal capsular nevus in sentinel lymph nodes, but not by other lymph node components such as dendritic cells, which usually express S100 protein. Commonly used melanoma markers, such as anti-HMB-45 and anti- Melan-A, are poorly expressed in desmoplastic melanomas. SOX-10 is considered as a very reliable marker for recognizing residual desmoplastic melanomas. In normal tissues, it is expressed in Schwann cells, melanocytes, and myoepithelial cells of salivary, bronchial and mammary glands. SOX-10		
	Immunogen			

www.novusbio.com



	5 1
Notes	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Flow (Intracellular), Immunohistochemistry, Immunohistochemistry-Paraffin, Protein Array, CyTOF-ready
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry- Paraffin, Protein Array, Flow (Intracellular), CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-59621AF700

NBP1-43317AF700	Mouse IgG2b Kappa Light Chain Isotype Control (MG2b) [Alexa Fluor® 700]
H00006663-P01-2ug	Recombinant Human SOX10 GST (N-Term) Protein
212-GD-010	GDNF [Unconjugated]
H00006663-Q01-10ug	Recombinant Human SOX10 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-59621AF700

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

