

Product Datasheet

VECTASHIELD(R) HardSet(TM) Antifade Mounting Medium with DAPI H-1500-NB

Unit Size: 10 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H-1500-NB

Updated 10/17/2019 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H-1500-NB




H-1500-NB**VECTASHIELD(R) HardSet(TM) Antifade Mounting Medium with DAPI**


Product Information	
Unit Size	10 ml
Concentration	Please see the protocols for proper use of this product. If no protocol is available, contact technical services for assistance.
Storage	Store at 4C in the dark.
Product Description	
Description	<p>VECTASHIELD Hardset Antifade Mounting Medium with DAPI is a unique, stable formula for preserving fluorescence. VECTASHIELD Hardset Mounting Medium with DAPI prevents rapid photobleaching of fluorescent proteins and fluorescent dyes.</p> <p>Features:</p> <ul style="list-style-type: none"> Inhibits photobleaching of fluorescent dyes and fluorescent proteins Ideal refractive index (1.45) Ready-to-use No warming necessary Can be stored without sealing for long term analysis Hardening formulation DAPI counterstain <p>VECTASHIELD HardSet Mounting Medium preserves fluorescence and hardens after coverslipping. After approximately 15 minutes at room temperature, the coverslip will become immobilized, and optimal antifade ability and refractive index will be achieved.</p> <p>VECTASHIELD Mounting Media are compatible with a wide array of fluorochromes, enzymatic substrates, and fluorescent proteins. The DAPI concentration can be modified by mixing with the corresponding VECTASHIELD Mounting Medium without DAPI. DAPI produces a blue fluorescence when bound to DNA with excitation at about 360 nm and emission at 460 nm.</p>
Notes	This product is manufactured by Vector Laboratories and distributed by Novus Biologicals.
Product Application Details	
Applications	Immunocytochemistry/Immunofluorescence, In-situ Hybridization, Cellular Imaging
Recommended Dilutions	Immunocytochemistry/Immunofluorescence, In-situ Hybridization, Cellular Imaging
Application Notes	<p>Refractive index is 1.46.</p> <p>NOTE: This product has a six month expiration date.</p>

Images


Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 549 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunohistochemistry: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Prostate Specific Antigen (rp) labeled with fluorescein using the ProtOn Fluorescein Labeling Kit. Fluorescein label detected with Alkaline Phosphatase Anti-Fluorescein and visualized with Vector Red. Mounted in VECTASHIELD HardSet Mounting Medium




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 488 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 594 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 594 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 549 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 594 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 549 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 594 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 549 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 488 labeled secondary antibody (green). S100, DyLight 594 labeled secondary antibody (red). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 488 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 488 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 549 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 488 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 549 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 594 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 549 labeled secondary antibody (red). S100, DyLight 488 labeled secondary antibody (green). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 488 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunocytochemistry/Immunofluorescence: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Astrocytes: Stained for GFAP and detected with Dylight 549 labeled secondary antibody. Mounted in VECTASHIELD HardSet Mounting Medium with DAPI. Image courtesy of Dr Emma East, Department of Life Sciences, The Open University, U.K.*




Immunohistochemistry: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Colon: Desmin (m), Biotinylated Horse anti-mouse IgG, Texas Red Avidin DCS (red). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.




Immunohistochemistry: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Prostate: Prostate Specific Antigen (rp) labeled with fluorescein using the ProtOn Fluorescein Labeling Kit. Fluorescein label detected with Alkaline Phosphatase Anti-Fluorescein and visualized with Vector Red. Mounted in VECTASHIELD HardSet Mounting Medium




Immunohistochemistry: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Prostate: Prostate Specific Antigen (rp) labeled with fluorescein using the ProtOn Fluorescein Labeling Kit. Fluorescein label detected with Alkaline Phosphatase Anti-Fluorescein and visualized with Vector Red. Mounted in VECTASHIELD HardSet Mounting Medium




Immunohistochemistry: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Prostate: Prostate Specific Antigen (rp) labeled with fluorescein using the ProtOn Fluorescein Labeling Kit. Fluorescein label detected with Alkaline Phosphatase Anti-Fluorescein and visualized with Vector Red. Mounted in VECTASHIELD HardSet Mounting Medium




Immunohistochemistry: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Retina from mice, perfused with DyLight 594-LEL. The retina were sectioned and mounted in Vectashield HardSet+DAPI. Image courtesy of George W. Smith, Florida Atlantic University



Immunohistochemistry: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Colon: Desmin (m), Biotinylated Horse anti-mouse IgG, Texas Red Avidin DCS (red). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI.



Cellular Imaging: VECTASHIELD(R) Hard Set(TM) Antifade Mounting Medium with DAPI [H-1500-NB] - Dorsal root ganglia cells (neurons and satellite glia) - double label. BIII tubulin, DyLight 488 labeled secondary antibody (green). S100, DyLight 594 labeled secondary antibody (red). Mounted in VECTASHIELD HardSet Mounting Medium with DAPI





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Support products are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H-1500-NB

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

