

Product Datasheet

MMP-9 Antibody NB600-1217-0.25ml

Unit Size: 0.25 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB600-1217

Updated 7/19/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB600-1217




NB600-1217-0.25ml**MMP-9 Antibody**

Product Information	
Unit Size	0.25 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.4), 0.2% BSA, Tween-20
Product Description	
Host	Rabbit
Gene ID	4318
Gene Symbol	MMP9
Species	Human
Specificity/Sensitivity	This reacts with the 92 kDa pro form and 86 kDa active form of MMP-9.
Immunogen	A synthetic peptide from the middle region of human MMP-9.
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:25-1:50, Immunohistochemistry-Paraffin 1:25-1:50, Immunohistochemistry-Frozen
Application Notes	IHC-P: recommended incubation time of 30 min at RT.




Images


Immunohistochemistry-Paraffin: MMP-9 Antibody [NB600-1217] - Formalin fixed paraffin embedded human breast carcinoma stained with MMP-9 antibody (NB600-1217).



Immunohistochemistry-Paraffin: MMP9 Antibody [NB600-1217] - Human Breast Carcinoma stained with antibody.



Immunohistochemistry-Paraffin: MMP9 Antibody [NB600-1217] - human placenta stained with antibody.



Publications

Meunier M, Scandolera A, Chapuis E Et al. The anti-wrinkles properties of sodium acetylated hyaluronate Journal of cosmetic dermatology 2021-10-28 [PMID: 34708918] (IHC-Fr, Human)

Mondello C, Ventura Spagnolo E, Bartoloni G Et Al. Dystrophin and metalloproteinase 9 in myocardial ischemia: A post-mortem immunohistochemical study Legal medicine (Tokyo, Japan) 2021-07-25 [PMID: 34332258] (IF/IHC)

Boukhedouni N, Martins C, Darrigade AS et al. Type-1 cytokines regulate MMP-9 production and E-cadherin disruption to promote melanocyte loss in vitiligo JCI Insight 2020-06-04 [PMID: 32369451] (IHC-P, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-1217

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

