

Product Datasheet

Chicken anti-Goat IgG (H+L) Secondary Antibody NB710-58357-0.5ml

Unit Size: 0.5 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB710-58357

Updated 4/20/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB710-58357



NB710-58357-0.5ml

Chicken anti-Goat IgG (H+L) Secondary Antibody

Product Information	
Unit Size	0.5 ml
Concentration	1.0 mg/ml
Storage	Store at 4C in the dark.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgY
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2)

Product Description	
Host	Chicken
Species	Goat
Reactivity Notes	There is no detectable cross-reactivity with rabbit, human or mouse IgG.
Immunogen	Chickens were immunized with purified, non-denatured goat IgG (containing both heavy and light chains) emulsified in Freund's adjuvant.
Notes	<p>Chicken products cannot be exported to Canada.</p> <p>Purification Notes Chickens were immunized with purified, non-denatured goat IgG (containing both heavy and light chains) emulsified in Freund's adjuvant. After multiple injections, eggs were collected from hyperimmunized hens and the IgY fraction purified from the yolks. Anti-goat IgGs were affinity-purified over a column conjugated with purified goat IgG (whole protein).</p> <p>Storage Notes Store at 4C in the dark. Under these conditions, the antibodies should have a shelf life of at least 12 months (provided they remain sterile). For longer storage periods, dilute the antibodies with sterile glycerol and store at -20C. Do not freeze these antibodies unless you want to store them for longer periods of time.</p>

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:1000

Publications

Jabbari K, Cheng Q, Winkelmaier G Et al. CD36(+) Fibroblasts Secrete Protein Ligands That Growth-Suppress Triple-Negative Breast Cancer Cells While Elevating Adipogenic Markers for a Model of Cancer-Associated Fibroblast Int J Mol Sci 2022-11-11 [PMID: 36361532] (ICC/IF)

Details:
Citation using the FITC version of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB710-58357

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

