

Product Datasheet

DDR1 Antibody (2G4E12) - BSA Free NBP1-28861-0.025ml

Unit Size: 0.025 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-28861

Updated 6/13/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-28861



NBP1-28861-0.025ml

DDR1 Antibody (2G4E12) - BSA Free

Product Information	
Unit Size	0.025 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	2G4E12
Preservative	0.03% Sodium Azide
Isotype	IgG1
Purity	Unpurified
Buffer	Ascites


Product Description	
Host	Mouse
Gene ID	780
Gene Symbol	DDR1
Species	Human
Reactivity Notes	Human.
Specificity/Sensitivity	Specific for DDR1.
Immunogen	Purified recombinant fragment of DDR1 (aa602-681) expressed in E. Coli.

Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:2000, ELISA 1:10000, Immunohistochemistry 1:200, Immunohistochemistry-Paraffin 1:200




Images


Western Blot: DDR1 Antibody (2G4E12) [NBP1-28861] - analysis using anti-DDR1 monoclonal antibody against truncated MBP-DDR1 recombinant protein(1).



Immunohistochemistry-Paraffin: DDR1 Antibody (2G4E12) [NBP1-28861] - Staining of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 1:200.



Immunohistochemistry-Paraffin: DDR1 Antibody (2G4E12) [NBP1-28861] - Staining of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 1:200.



Publications

Filliol A, Saito Y, Nair A et al. Opposing roles of hepatic stellate cell subpopulations in hepatocarcinogenesis Nature 2022-10-01 [PMID: 36198802] (IF/IHC, Human)

Details:

Dilution used in IHC 1:500



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-28861

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

