# **Product Datasheet**

# RTN1-A/NSP Antibody (RNL-4) [Allophycocyanin/Cy7] NBP1-97673APCCY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-97673APCCY7

Updated 11/1/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-97673APCCY7



# **NBP1-97673APCCY7**

RTN1-A/NSP Antibody (RNL-4) [Allophycocyanin/Cy7]	
0.1 ml	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C in the dark. Do not freeze.	
Monoclonal	
RNL-4	
0.05% Sodium Azide	
lgG1	
Allophycocyanin/Cy7	
Protein A or G purified	
PBS	
Mouse	
6252	
RTN1	
Human, Rat, Porcine	
This antibody recognizes an epitope located within the first 20 amino acids of Reticulon-1C (NSP-C). It reacts with peripheral nerves and ganglia of various tissues and cross-reacts with smooth muscle cells and myoepithelium. In the central nervous system it reacts with the neurohypophysis and pars intermedia of the pituitary gland, and a weak diffuse staining was observed in neurons of the granular and molecular layer of the cerebellar cortex, while glial cells, cerebellar medulla and Purkinje cells are negative. Reticulon-1 has been found to indicate neuronal differentiation and to be downregulated in neurological pathologies.	
Derived by fusion of SP2/0-Ag14 Mouse myeloma cells, with spleen cells from a BALB/c Mouse immunized with a synthetic peptide encompassing the unique 20 N-terminal amino acid sequence of Reticulon-1C.	
Flow Cytometry	
Flow Cytometry	
Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions.	





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP1-97673APCCY7**

NBP1-97005APCCY7 Mouse IgG1 Isotype Control (MG1) [Allophycocyanin/Cy7] H00006252-P01-10ug Recombinant Human RTN1-A/NSP GST (N-Term) Protein

7954-GM-010/CF GM-CSF [Unconjugated]

NBP2-06560 RTN1-A/NSP Overexpression Lysate

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97673APCCY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

