

# Product Datasheet

## Insulin Antibody (2D11-H5 (same as INS05)) [PE/Cy5.5] NBP2-33146PECY55

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-33146PECY55](http://www.novusbio.com/NBP2-33146PECY55)

Updated 9/10/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-33146PECY55](http://www.novusbio.com/reviews/destination/NBP2-33146PECY55)



**NBP2-33146PECY55**

Insulin Antibody (2D11-H5 (same as INS05)) [PE/Cy5.5]

**Product Information**

<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	Please see the vial label for concentration. If unlisted please contact technical services.
<b>Storage</b>	Store at 4C in the dark. Do not freeze.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	2D11-H5 (same as INS05)
<b>Preservative</b>	0.05% Sodium Azide
<b>Isotype</b>	IgG1 Kappa
<b>Conjugate</b>	PE/Cy5.5
<b>Purity</b>	Protein A or G purified
<b>Buffer</b>	PBS

**Product Description**

<b>Host</b>	Mouse
<b>Gene ID</b>	3630
<b>Gene Symbol</b>	INS
<b>Species</b>	Human, Mouse, Porcine, Bovine
<b>Reactivity Notes</b>	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.
<b>Marker</b>	beta-Cell & Insulinoma Marker
<b>Specificity/Sensitivity</b>	Recognizes a polypeptide which is identified as insulin, a 51-amino acid polypeptide composed of A and B chains connected through the C-peptide. Proinsulin, which has very little biological activity, is cleaved by proteases within its cell of origin into the insulin molecule and the C-terminal basic residue. Insulin enhances membrane transport of glucose, amino acids, and certain ions. It also promotes glycogen storage, formation of triglycerides, and synthesis of proteins and nucleic acids. Deficiency of insulin results in diabetes mellitus. The main storage site for insulin is the pancreatic islets. Antibodies to insulin are important as beta-cell and insulinoma marker.
<b>Immunogen</b>	Purified pig insulin, conjugated to KLH (Uniprot: P01308)

**Product Application Details**

<b>Applications</b>	Flow Cytometry
<b>Recommended Dilutions</b>	Flow Cytometry
<b>Application Notes</b>	Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at <a href="mailto:technical@novusbio.com">technical@novusbio.com</a> if you have any questions.



## **Novus Biologicals USA**

10730 E. Briarwood Avenue

Centennial, CO 80112

USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

[novus@novusbio.com](mailto:novus@novusbio.com)

## **Bio-Techne Canada**

21 Canmotor Ave

Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

[canada.inquires@bio-techne.com](mailto:canada.inquires@bio-techne.com)

## **Bio-Techne Ltd**

19 Barton Lane

Abingdon Science Park

Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

[info.EMEA@bio-techne.com](mailto:info.EMEA@bio-techne.com)

## **General Contact Information**

[www.novusbio.com](http://www.novusbio.com)

Technical Support: [technical@novusbio.com](mailto:technical@novusbio.com)

Orders: [orders@novusbio.com](mailto:orders@novusbio.com)

General: [novus@novusbio.com](mailto:novus@novusbio.com)

## **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis.

Primary Antibodies are guaranteed for 1 year from date of receipt.

**For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)**

**Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-33146PECY55](http://www.novusbio.com/reviews/submit/NBP2-33146PECY55)**

**Earn gift cards/discounts by submitting a publication using this product:**

**[www.novusbio.com/publications](http://www.novusbio.com/publications)**

