

# Product Datasheet

## DSCAM-L1 Antibody (DS2-176) NBP2-42446-25ug

Unit Size: 25 ug

Lyophilized antibody can be kept at 4C for up to 3 months and should be kept at -20C for long-term storage.

To avoid freeze-thaw cycles, reconstituted antibody should be aliquoted before freezing for short-term storage (-20C) or for long-term storage (-80C). For maximum recovery of product, centrifuge the original vial prior to removing the cap. Further dilutions can be made in assay buffer.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:

[www.novusbio.com/NBP2-42446](http://www.novusbio.com/NBP2-42446)

Updated 3/30/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-42446](http://www.novusbio.com/reviews/destination/NBP2-42446)



**NBP2-42446-25ug**

DSCAM-L1 Antibody (DS2-176)

**Product Information**

<b>Unit Size</b>	25 ug
<b>Concentration</b>	LYOPH mg/ml
<b>Storage</b>	Lyophilized antibody can be kept at 4C for up to 3 months and should be kept at -20C for long-term storage. To avoid freeze-thaw cycles, reconstituted antibody should be aliquoted before freezing for short-term storage (-20C) or for long-term storage (-80C). For maximum recovery of product, centrifuge the original vial prior to removing the cap. Further dilutions can be made in assay buffer.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	DS2-176
<b>Preservative</b>	No Preservative
<b>Reconstitution Instructions</b>	Reconstitute to 1.0 ml of water
<b>Isotype</b>	IgG1
<b>Purity</b>	Protein G purified
<b>Buffer</b>	PBS

**Product Description**

<b>Host</b>	Mouse
<b>Gene ID</b>	57453
<b>Gene Symbol</b>	DSCAML1
<b>Species</b>	Mouse, Chicken
<b>Immunogen</b>	Full length for DSCAM-L1 protein was used as the immunogen for this antibody.

**Product Application Details**

<b>Applications</b>	Western Blot, Immunohistochemistry, Immunocytochemistry
<b>Recommended Dilutions</b>	Western Blot, Immunohistochemistry 1:250 - 1:500, Immunocytochemistry



## Novus Biologicals USA

10730 E. Briarwood Avenue

Centennial, CO 80112

USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

[novus@novusbio.com](mailto:novus@novusbio.com)

## Bio-Techne Canada

21 Canmotor Ave

Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

[canada.inquires@bio-techne.com](mailto:canada.inquires@bio-techne.com)

## Bio-Techne Ltd

19 Barton Lane

Abingdon Science Park

Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

[info.EMEA@bio-techne.com](mailto:info.EMEA@bio-techne.com)

## General Contact Information

[www.novusbio.com](http://www.novusbio.com)

Technical Support: [technical@novusbio.com](mailto:technical@novusbio.com)

Orders: [orders@novusbio.com](mailto:orders@novusbio.com)

General: [novus@novusbio.com](mailto:novus@novusbio.com)

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis.

Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-42446](http://www.novusbio.com/reviews/submit/NBP2-42446)

Earn gift cards/discounts by submitting a publication using this product:

[www.novusbio.com/publications](http://www.novusbio.com/publications)

