Product Datasheet

beta 2-Microglobulin Antibody (246-E9.E7 (same as HLA.ABC.m2)) [Janelia Fluor® 646] NBP2-47700JF646

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47700JF646

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47700JF646



NBP2-47700JF646

beta 2-Microglobulin Antibody (246-E9.E7 (same as HLA.ABC.m2)) [Janelia Fluor® 646]

| beta 2-Microglobulin Antibody (246-E9.E7 (same as HLA.ABC.m2)) [Janelia Fluor® 646] | |
|---|---|
| Product Information | |
| Unit Size | 0.1 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. |
| Clonality | Monoclonal |
| Clone | 246-E9.E7 (same as HLA.ABC.m2) |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG2a Kappa |
| Conjugate | Janelia Fluor 646 |
| Purity | Protein A or G purified |
| Buffer | 50mM Sodium Borate |
| Product Description | |
| Host | Mouse |
| Gene ID | 567 |
| Gene Symbol | B2M |
| Species | Human, Primate (Negative) |
| Reactivity Notes | Does not react with Non-Human primates. |
| Marker | Renal Failure & Tumor Marker |
| Specificity/Sensitivity | Recognizes a protein of 12kDa, identified as beta-microglobulin. Beta-microglobulin non-covalently associates with the 44kDa chain to form the HLA Class I antigen complex. Human beta-2 microglobulin associated with HLA Class I antigens is expressed on many types of cells including lymphocytes, thymocytes, monocytes, granulocytes, platelets, endothelial cells, and epithelial cells. It is absent on erythrocytes. This monoclonal antibody is specific to human beta-2 microglobulin and does not react with non-human primate cells. This antibody reacts with all cell types excluding erythrocytes. Detection of beta-2 microglobulin in body fluids has been used as a tumor marker and for monitoring patients with HIV infection. |
| Immunogen | Human PBL s from a T-cell acute lymphoblastic leukemia (T-ALL) patient |
| Notes | Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. |
| Product Application Details | |
| Applications | Flow Cytometry, CyTOF-ready, Immunofluorescence |
| Recommended Dilutions | Flow Cytometry, Immunofluorescence, CyTOF-ready |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |
| | |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-47700JF646

NBP1-96981JF646 Mouse IgG2a Kappa Isotype Control (M2AK) [Janelia Fluor 646]

NBP1-50840-0.01mg Recombinant Human beta 2-Microglobulin His Protein

210-TA-005 TNF-alpha [Unconjugated] KGE019 beta 2-Microglobulin [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47700JF646

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

