# **Product Datasheet**

# CD47 Antibody (IAP/964 + B6H12.2) [Allophycocyanin] NBP2-47812APC

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-47812APC

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-47812APC



### NBP2-47812APC

**Application Notes** 

CD47 Antibody (IAP/964 + B6H12.2) [Allophycocyanin]

CD47 Antibody (IAP/964 + B6H12.2) [Allophycocyanin]	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	IAP/964 + B6H12.2
Preservative	0.05% Sodium Azide
Isotype	IgG1 Kappa/IgG1 Kappa
Conjugate	Allophycocyanin
Purity	Protein A or G purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	961
Gene Symbol	CD47
Species	Human, Mouse
Specificity/Sensitivity	This antibody reacts with Ig domain of CD47 protein. CD47, originally named integrin-associated protein (IAP), is a 50kDa protein containing five membrane-spanning sequences and a short cytoplasmic tail. CD47 plays a role in both cell adhesion by acting as an adhesion receptor for THBS1 on platelets, and in the modulation of integrins. It is important in memory formation and synaptic plasticity in the hippocampus. CD47 may play a role in membrane transport and/or integrin dependent signal transduction.
Immunogen	Recombinant human CD47 protein (CD47/964); Intact CD47 Purified from placenta (B6H12.2) (Uniprot: Q08722)
Product Application Details	
Applications	Western Blot, Flow Cytometry, Flow (Cell Surface), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, CyTOF-ready, Immunofluorescence, Immunohistochemistry-Paraffin (Negative)
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen, Flow (Cell Surface), Immunohistochemistry-Paraffin (Negative), Immunofluorescence, CyTOF-ready



Optimal dilution of this antibody should be experimentally determined.

# **Images**

CD47 Antibody (IAP/964 + B6H12.2) [Allophycocyanin] [NBP2-47812APC] - Vial of APC conjugated antibody. APC is optimally excited at 650 nm by the Red laser (633 or 640 nm) and has an emission maximum of 660 nm.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-47812APC**

NBP2-52320-0.05mg Recombinant Human CD47 hlgG-His Protein

210-TA-005 TNF-alpha [Unconjugated] 1866-CD-050 CD47 [Unconjugated]

AF835 Caspase-3 Antibody [Unconjugated] - Active

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-47812APC

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

