

Product Datasheet

Smad2 [p Ser467] Antibody - BSA Free NBP2-54771-0.05mg

Unit Size: 0.05 mg

Store at -20 °C.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-54771

Updated 10/23/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-54771



NBP2-54771-0.05mg

Smad2 [p Ser467] Antibody - BSA Free


Product Information	
Unit Size	0.05 mg
Concentration	1 mg/ml
Storage	Store at -20 °C.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Epitope affinity purified
Buffer	PBS (pH 7.4) (without Mg ²⁺ and Ca ²⁺), 150mM NaCl, 50% Glycerol
Target Molecular Weight	60 kDa

Product Description	
Description	Novus Biologicals Rabbit Smad2 [p Ser467] Antibody - BSA Free (NBP2-54771) is a polyclonal antibody validated for use in IHC, WB and Simple Western. Anti-Smad2 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	4087
Gene Symbol	SMAD2
Species	Human, Mouse, Rat
Specificity/Sensitivity	This antibody detects endogenous level of Smad2 only when phosphorylated at serine 467.
Immunogen	Smad2 (Phospho-Ser467) antibody was raised against a peptide sequence around phosphorylation site of serine 467 (C-S-S-M-S (p)) derived from Human Smad2.

Product Application Details	
Applications	Western Blot, Simple Western
Recommended Dilutions	Western Blot 1:500-1:1000, Simple Western
Application Notes	See Simple Western Antibody Database for Simple Western validation: Tested in Bladder, separated by Size

Images

Western Blot: Smad2 [p Ser467] Antibody [NBP2-54771] - Analysis of lysed extracts from HeLa cells untreated or treated with PMA using Smad2 (Phospho-Ser467).



Publications

Salemi S, Schori L, Gerwinn T et al. Myostatin Overexpression and Smad Pathway in Detrusor Derived from Pediatric Patients with End-Stage Lower Urinary Tract Dysfunction International Journal of Molecular Sciences 2023-02-24 [PMID: 36901894] (IHC-P, Human)

Mukhi D, Kolligundla LP, Maruvada S et al. Growth hormone induces transforming growth factor- β 1 in podocytes: Implications in podocytopathy and proteinuria Biochimica et biophysica acta. Molecular cell research 2022-11-15 [PMID: 36400249] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-54771-0.05mg

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBC1-25856-0.1mg	Recombinant Human Smad2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54771

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

