Product Datasheet

AP-2 gamma Antibody (3A11A5) - BSA Free NBP2-61859

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-61859

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-61859




NBP2-61859

AP-2 gamma Antibody (3A11A5) - BSA Free

AP-2 gamma Antibody (3A11A5) - BSA Free	
Product Information	
0.1 ml	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
3A11A5	
0.05% Sodium Azide	
IgG1	
Protein G purified	
PBS	
49.2 kDa	
Product Description	
Mouse	
7022	
TFAP2C	
Human	
Purified recombinant fragment of human AP-2 gamma (AA: 341-450) expressed in E. Coli.	
Product Application Details	
Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin	
Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:1000, Immunohistochemistry-Paraffin 1:200 - 1:1000	

Images

Western Blot: AP-2 gamma Antibody (3A11A5) [NBP2-61859] - Analysis using TFAP2C mAb against HEK293 (1) and TFAP2C (AA: 341-450)-hIgGFc transfected HEK293 (2) cell lysate.



Immunohistochemistry: AP-2 gamma Antibody (3A11A5) [NBP2-61859] -Analysis of paraffin-embedded esophageal cancer tissues using TFAP2C mouse mAb with DAB staining. Western Blot: AP-2 gamma Antibody (3A11A5) [NBP2-61859] - Analysis 170-130using TFAP2C mAb against human TFAP2C (AA: 341-450) recombinant protein. (Expected MW is 38.2 kDa) 95-72-55-43-34-26. 17-11-Western Blot: AP-2 gamma Antibody (3A11A5) [NBP2-61859] - Analysis kDa using TFAP2C mouse mAb against SK-Br-3 (1) cell lysate. 170-130-95-72-55-43-34-26-17-11-ELISA: AP-2 gamma Antibody (3A11A5) [NBP2-61859] - Black line: **ELISA Result** O.D. Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen 1.6 1.4 (50 ng); Red line:Antigen (100 ng) 0.8 0.6 0.4 0.2 10^-2 10^-5 10^-3 10^4 Serial Dilutions of Antibody - Control Antigen = 100ng -Antigen=10ng Antigen=50ng Antigen=100ng





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-61859

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-49170PEP AP-2 gamma Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-61859

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

