Product Datasheet

Goat anti-Mouse IgG Fc Secondary Antibody (Preadsorbed) NBP2-61925

Unit Size: 0.5 mg

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-61925

Updated 2/24/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-61925



NBP2-61925

Goat anti-Mouse IgG Fc Secondary Antibody (Pre-adsorbed)

Goal anti-wouse 1961 to Secondary Antibody (Fre-adsorbed)	
Product Information	
Unit Size	0.5 mg
Concentration	0.5 mg/ml
Storage	Store at 4C.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	Phosphate Buffered Saline (PBS)
Product Description	
Description	This antibody was isolated by affinity chromatography using antigen coupled to agarose beads.
Host	Goat
Species	Mouse
Specificity/Sensitivity	By immunoelectrophoresis and ELISA this antibody reacts specifically with mouse IgG. Cross reactivity with IgA and IgM is negligible. No antibody was detected against non-immunoglobulin serum proteins. Antiserum was cross adsorbed using human and rat immunosorbents to remove cross reactive antibodies. Less than 1% cross reactivity to human and rat IgG was detected. This antibody may cross react with IgG from other species.
Immunogen	Mouse IgG
Notes	This antibody was isolated by affinity chromatography using antigen coupled to agarose beads.
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000 - 1:20000, Flow Cytometry, ELISA 1:1000 - 1:20000, Immunohistochemistry 1:200 - 1:2000, Immunocytochemistry/


	agarose beads.
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000 - 1:20000, Flow Cytometry, ELISA 1:1000 - 1:20000, Immunohistochemistry 1:200 - 1:2000, Immunocytochemistry/ Immunofluorescence



Images

Immunocytochemistry/Immunofluorescence: Goat anti-Mouse IgG Fc Secondary Antibody (Pre-adsorbed) [NBP2-61925] - Analysis of mouse tissue using goat anti-mouse DyLight 649 conjugated secondary antibody. Image from verified customer review. Image from the DyLight 650 version of this antibody.

Red: Dylight 649
Green: control filter




Flow Cytometry: Goat anti-Mouse IgG Fc Secondary Antibody (Preadsorbed) [NBP2-61925] - Analysis of human osteosarcoma cells using goat anti-mouse DyLight 649 conjugated secondary antibody. Image from verified customer review. Image from the DyLight 650 version of this antibody.

Blue: Dylight 649
Red: Isotype control

Immunocytochemistry/Immunofluorescence: Goat anti-Mouse IgG Fc Secondary Antibody (Pre-adsorbed) [NBP2-61925] - Analysis of c-Myc in human osteosarcoma cells using goat anti-mouse DyLight 649 conjugated secondary antiboy. Image from verified customer review. Image from the DyLight 650 version of this antibody.

Blue: DAPI Red: C-Myc Dylight 649





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-61925

NBP1-96784

Mouse IgG Fc Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-61925

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

