# **Product Datasheet**

# Piccolo Antibody (PCLO-01) - BSA Free NBP2-62209

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-62209

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-62209



# NBP2-62209


Piccolo Antibody (PCLO-01) - BSA Free

Piccolo Antibody (PCLO-01) - BSA Free	
Product Information	
0.1 mg	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C. Do not freeze.	
Monoclonal	
PCLO-01	
15mM Sodium Azide	
IgG1	
Protein A purified	
Phosphate buffered saline (PBS), pH 7.4	
400 kDa	
Product Description	
Novus Biologicals Mouse Piccolo Antibody (PCLO-01) - BSA Free (NBP2-62209) is a monoclonal antibody validated for use in WB and Flow. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Mouse	
27445	
PCLO	
Human	
The antibody A53-B/A2 reacts with Rod domain of cytokeratin 19 (40 kDa) in human tissue. Cytokeratin 19 is not expressed in hepatocytes; it is often co-expressed with cytokeratin 7.	
Human recombinant PCLO protein	
Western Blot, Flow Cytometry, Flow (Intracellular)	
Western Blot 1:100-1:2000, Flow Cytometry 1-5 ug/ml, Flow (Intracellular) 1-5 ug/ml	
A small splice variant of PCLO can be analyzed by Western blotting, however, the whole protein is too large (over 400 kDa) to be successfully processed by SDS PAGE.	




#### **Images**

Western Blot: Piccolo Antibody (PCLO-01) [NBP2-62209] - Human REH erythroid cell line lysate (1% laurylmaltoside); non-reduced sample, immunostained by mAb PCLO-01 and goat anti-mouse IgG (H+L)-HRP conjugate. The zone evidently corresponds to a small splice variant of the PCLO protein present in this type of cell (see Uniprot database, Genome Res. 14:2121-2127(2004)); the major form (over 500 kDa) expressed in neurons is too large for analysis by Western blotting.



Staining of human REH erythroid cell line lysate (1% laurylmaltoside); non-reduced sample, immunostained by mAb PCLO-01 and goat antimouse IgG (H+L)-HRP conjugate. The zone evidently corresponds to a small splice variant of the PCLO protein present in this type of cell (see Uniprot database, Genome Res. 14:2121-2127(2004)); the major form (over 500 kDa) expressed in neurons is too large for analysis by Western blotting.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

rax. 905.027.0402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-62209**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

H00027445-P01-10ug Recombinant Human Piccolo GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-62209

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

