Product Datasheet

Goat F(ab')2 anti-Mouse IgG Fc Secondary Antibody (Preadsorbed) NBP2-62586

Unit Size: 1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-62586

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-62586

NBP2-62586


Goat F(ab')2 anti-Mouse IgG Fc Secondary Antibody (Pre-adsorbed)

1 mg
Please see the vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.01% Sodium Azide
IgG
Multi-step
0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG, Mouse IgG F(c) and Mouse Serum Store vial at 4C prior to opening. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and
thawing. Goat
Mouse
No reaction was observed against anti-Pepsin, anti-Goat IgG F(c), Mouse IgG F (ab')2 or Bovine, Horse and Human Serum Proteins.
Mouse IgG F(c) fragment
Western Blot, ELISA, Immunohistochemistry, SDS-Page
Western Blot 1:2000 - 1:10000, ELISA 1:10000, Immunohistochemistry 1:1000 - 1:5000, SDS-Page
This product has been tested by ELISA, SDS-PAGE, and dot blot and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. The maximum amount of reagent required to stain 1 x 10E6 cells in flow cytometry is approximately 1.0 ug of antibody. Lesser amounts of reagent may be sufficient for staining. Optimal titers for other applications should be determined by the researcher. As a general guideline dilutions of 1:100 to 1:250 should be suitable for most applications.



Images

SDS-Page: Goat F(ab')2 anti-Mouse IgG Fc Secondary Antibody (Preadsorbed) [NBP2-62586] - Lane 1: Reduced Goat F(ab')2 anti-Mouse IgG Fc Secondary Antibody (Pre-absorbed). Lane 2: Opal pre-stained Molecular Weight Ladder. Lane 3: Non-reduced Goat F(ab')2 anti-Mouse IgG Fc Secondary Antibody (Pre-absorbed). Load: 1.0ug. 4-20% SDS Gel, Coomassie Blue Stained.



www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-62586

NBP1-96784

Mouse IgG Fc Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-62586

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

