Product Datasheet

CD40 Ligand/TNFSF5 Antibody (JM11-34) NBP2-66756

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-66756

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-66756



NBP2-66756

CD40 Ligand/TNFSF5 Antibody (JM11-34)


0 = 10 = .go.10, 11 01 0 /	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JM11-34
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Day Lord Day of the	

Product Description		
Description	Novus Biologicals Rabbit CD40 Ligand/TNFSF5 Antibody (JM11-34) (NBP2-66756) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Host	Rabbit	
Gene ID	959	
Gene Symbol	CD40LG	
Species	Human, Mouse, Rat	
Immunogen	Synthetic peptide within Human CD40 Ligand/TNFSF5 aa 103-150 / 261. (SwissProt: P29965 Human; SwissProt: P27548 Mouse; SwissProt: Q9Z2V2 Rat)	

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:2000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:200


Images

Western Blot: CD40 Ligand/TNFSF5 Antibody (JM11-34) [NBP2-66756] - Western blot analysis of CD40 Ligand/TNFSF5 on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% BSA in PBS for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody (HA1001) at 1:5,000 dilution was used for 1 hour at room temperature. Positive control: Lane 1: mouse liver tissue lysate Lane 2: rat liver tissue lysate Lane 2: mouse bone marrow tissue lysate







Immunocytochemistry/Immunofluorescence: CD40 Ligand/TNFSF5 Antibody (JM11-34) [NBP2-66756] - Staining CD40L in NIH-3T3 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunohistochemistry-Paraffin: CD40 Ligand/TNFSF5 Antibody (JM11-34) [NBP2-66756] - Analysis of paraffin-embedded human spleen tissue using anti- CD40L antibody. Counter stained with hematoxylin.




Flow Cytometry: CD40 Ligand/TNFSF5 Antibody (JM11-34) [NBP2-66756] - Analysis of THP-1 cells with CD40L antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.



Immunocytochemistry/Immunofluorescence: CD40 Ligand/TNFSF5 Antibody (JM11-34) [NBP2-66756] - Staining CD40L in Hela cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunocytochemistry/Immunofluorescence: CD40 Ligand/TNFSF5 Antibody (JM11-34) [NBP2-66756] - Staining CD40L in MCF-7 cells (red). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-66756

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-35244-10ug Recombinant Human CD40 Ligand/TNFSF5 Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-66756

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

