# **Product Datasheet**

# GCLC Antibody (JA08-03) NBP2-66864

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-66864

Updated 1/3/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-66864




### NBP2-66864


GCLC Antibody (JA08-03)

<b>,</b>	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JA08-03
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Product Description	
Host	Rabbit
Gene Symbol	GCLC


Species	Human, Rat
Immunogen	Synthetic peptide within Human GCLC aa 588-637 / 637. (SwissProt: P48506 Human; SwissProt: P19468 Rat)
<b>Product Application Details</b>	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-

Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:1000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunohistochemistry-Paraffin 1:50-1:200
-	







Immunohistochemistry-Paraffin: GCLC Antibody (JA08-03) [NBP2-66864] - Analysis of paraffin-embedded rat kidney tissue using anti-GCLC antibody. Counter stained with hematoxylin.




Flow Cytometry: GCLC Antibody (JA08-03) [NBP2-66864] - Analysis of Jurkat cells with GCLC antibody at 1/100 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black).



Immunohistochemistry-Paraffin: GCLC Antibody (JA08-03) [NBP2-66864] - Analysis of paraffin-embedded human fetal kidney tissue using anti-GCLC antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: GCLC Antibody (JA08-03) [NBP2-66864] - Analysis of paraffin-embedded human fetal liver tissue using anti-GCLC antibody. Counter stained with hematoxylin.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-66864

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

